

Histrio histrio (Linnaeus, 1758)

AphialD: 126533

SARGASSUMFISH

Biota (Superdominio) > Animalia (Reino) > Chordata (Filo) > Vertebrata (Subfilo) > Gnathostomata (Infrafilo) > Osteichthyes (Parfilo) > Actinopterygii (Gigaclasse) > Actinopteri (Superclasse) > Teleostei (Classe) > Lophiiformes (Ordem) > Antennariidae (Família) > Histrio (Genero)



NOAANMFSMississippi LaboratoryCC BY 3.0

Randall, J.E., 1997



Randall, J.E., 1997



Synonyms

Pterophrynoides histrio (Linnaeus, 1758)

References

- additional source Froese, R. & D. Pauly (Editors). (2018). FishBase. World Wide Web electronic publication. , available online at <http://www.fishbase.org> [details]
- basis of record van der Land, J.; Costello, M.J.; Zavodnik, D.; Santos, R.S.; Porteiro, F.M.; Bailly, N.; Eschmeyer, W.N.; Froese, R. (2001). Pisces, in: Costello, M.J. et al. (Ed.) (2001). European register of marine species: a check-list of the marine species in Europe and a bibliography of guides to their identification. Collection Patrimoines Naturels, 50: pp. 357-374 [details]
- additional source Scott, W.B.; Scott, M.G. (1988). Atlantic fishes of Canada. Canadian Bulletin of Fisheries and Aquatic Sciences. No. 219. 731 pp. [details]
- additional source Welshman, D., S. Kohler, J. Black and L. Van Guelpen. 2003. An atlas of distributions of Canadian Atlantic fishes. , available online at <http://epe.lac-bac.gc.ca/100/205/301/ic/cdc/FishAtlas/default.htm> [details]
- additional source King, C.M.; Roberts, C.D.; Bell, B.D.; Fordyce, R.E.; Nicoll, R.S.; Worthy, T.H.; Paulin, C.D.; Hitchmough, R.A.; Keyes, I.W.; Baker, A.N.; Stewart, A.L.; Hiller, N.; McDowall, R.M.; Holdaway, R.N.; McPhee, R.P.; Schwarzhans, W.W.; Tennyson, A.J.D.; Rust, S.; Macadie, I. (2009). Phylum Chordata: lancelets, fishes, amphibians, reptiles, birds, mammals, in: Gordon, D.P. (Ed.) (2009). New Zealand inventory of biodiversity: 1. Kingdom Animalia: Radiata, Lophotrochozoa, Deuterostomia. pp. 431-554. [details]
- additional source McEachran, J. D. (2009). Fishes (Vertebrata: Pisces) of the Gulf of Mexico, Pp. 1223-1316 in: Felder, D.L. and D.K. Camp (eds.), Gulf of Mexico-Origins, Waters, and Biota. Biodiversity. Texas A&M Press, College Station, Texas. [details]
- additional source Liu J.Y. [Ruiyu] (ed.). (2008). Checklist of marine biota of China seas. China Science Press. 1267 pp. [details]
- context source (Deepsea) Intergovernmental Oceanographic Commission (IOC) of UNESCO. The Ocean Biogeographic Information System (OBIS), available online at <http://www.iobis.org/> [details]
- context source (HKRMS) Hong Kong marine fish database. AFCD. , available online at <http://www.hk-fish.net/eng/database/index.htm> [details]
- context source (Bermuda) Smith-Vaniz, W. F.; Collette, B. B.; Luckhurst, B. E (1999). Fishes of Bermuda: History, zoogeography, annotated checklist, and identification keys(American Society of Ichthyologists and Herpetologists - Special Publication No.4). ASIH, 424 pp. [details]
- ecology source Looby, A.; Erbe, C.; Bravo, S.; Cox, K.; Davies, H.L.; Di Iorio, L.; Jézéque, Y.; Juanes, F.; Martin, C.W.; Mooney, T.A.; Radford, C.; Reynolds, L.K.; Rice, A.N.; Riera, A.; Rountree, R.; Sprie, B.; Stanley, J.; Vela, S.; Parsons, M.J.G. Underwater Soniferous Behavior Trait Provided in the World Register of Marine Species. (In preparation). [details]

