Calliactis parasitica (Couch, 1842)

AphiaID: 100946

ANÉMONA-PARASITICA

Biota (Superdominio) > Animalia (Reino) > Cnidaria (Filo) > Anthozoa (Classe) > Hexacorallia (Subclasse) > Actiniaria (Ordem) > Enthemonae (Subordem) > Metridioidea (Superfamilia) > Hormathiidae (Familia) > Calliactis (Genero)

Estatuto de Conservação



Sinónimos

Sagartia effaeta Linnaeus
Sagartia parasitica (Couch, 1842)

Referências

additional source Hayward, P.J.; Ryland, J.S. (Ed.). (1990). The marine fauna of the British Isles and North-West Europe: 1. Introduction and protozoans to arthropods. Clarendon Press: Oxford, UK. ISBN 0-19-857356-1. 627 pp. [details]

additional source Fautin, Daphne G. (2013). Hexacorallians of the World., available online at http://hercules.kgs.ku.edu/Hexacoral/Anemone2/ [details]

additional source Couch, R. Q. (1844). A Cornish fauna, being a compendium of the natural history of the country. Pt. 3. The zoophytes and calcareous corallines. Truro: Printed for the Royal Institution of Cornwall, by L.E. Gillet,1844. pp. i-xvii; 1-164., available online at http://www.biodiversitylibrary.org/item/40494#page/7/mode/1up [details]

basis of record van der Land, J.; den Hartog, J.H. (2001). Actiniaria, in: Costello, M.J. et al. (Ed.) (2001). European register of marine species: a check-list of the marine species in Europe and a bibliography of guides to their identification. Collection Patrimoines Naturels, 50: pp. 106-109 [details]

additional source Muller, Y. (2004). Faune et flore du littoral du Nord, du Pas-de-Calais et de la Belgique: inventaire. [Coastal fauna and flora of the Nord, Pas-de-Calais and Belgium: inventory]. Commission Régionale de Biologie Région Nord Pas-de-Calais: France. 307 pp., available online at http://www.vliz.be/imisdocs/publications/145561.pdf [details]

additional source Fautin, Daphne G. (2013). Hexacorallians of the World. , available online at https://web.archive.org/web/20191018194704/http://hercules.kgs.ku.edu/Hexacoral/Anemone2/ [details]

additional source Wirtz, P.; Ocana, O.; Molodtsova, T. (2003). Actiniaria and Ceriantharia of the Azores (Cnidaria Anthozoa). Helgol. Mar. Res. 57: 114-117. [details]

additional source Gili, J.M., 1982. Fauna de cnidaris de les illes Medes. Treballs Inst. Cat. Hist. nat. 10 : 1-175. [details]

additional source Hamond, R. & B.G. Williams, 1977. The Ctenophora, Scyphozoa and Anthozoa of Norfolk, with additional notes on the Hydrozoa. Trans. Norfolk Norwich Nat. Soc. 24 : 58-74.. [details]

additional source Robins, M.W., 1969. The marine flora and fauna of the Isles of Scilly.Cnidaria e Ctenophora. J. nat. Hist. 3 : 329-343. [details]

additional source Ross, D.M., 1974. Behavior patterns in associations and interactions with other

animals. In: L. Muscatine & H.M. Lenhoff, eds, Coelenterate Biology. Reviews and new perspectives : 281-312. [details]

additional source Teissier, G., 1950. Inventaire de la faune marine de Roscoff. Cnidaires et cténaires. Trav. biol. Roscoff. n. ser. suppl. 1: 1-43. [details]

additional source Schmidt, H., 1969. Die nesselkapseln der aktinien und ihre differentialdiagnostische bedeutung. The nematocysts of the sea anemones and their importance for differential-diagnosis. Helgoländer wiss. Meeresunters. 19 : 284-317. [details]

additional source Chintiroglou, C. & A. Koukouras, 1991. Observations on the feeding habits of Calliactis parasitica (Couch, 1842), Anthozoa, Cnidaria. Oceanologica Acta 14 4: 389-396. [details]

additional source Davenport, D. (1955). Specificity and Behavior in Symbioses. The Quarterly. Review of Biology. 30(1): 29-46., available online at http://www.jstor.org/stable/2814395 . [details]

additional source Ocaña, Oscar; Den Hartog, J.C. (2002). A catalogue of Actiniaria and Corallimorpharia from the Canary Islands and from Madeira, Arquipelago. Life and Marine Sciences. 19A: 33-54. [details]

additional source Stephenson, T. A. (1935). The British Sea Anemones. Volume II. The Ray Society. London. pp. 426. [details]

additional source Vafidis D. & Chintiroglou C. (2002). Segonzactis hartogi sp. n. (Condylanthidae) and other sea anemones of the Aegean deep water. Belg. J. Zool. 132 (2): 87-93. [details]

additional source den Hartog J.C., Ates R.M.L. (2011). Actiniaria from Ria de Arosa, Galicia, northwestern Spain, in the Netherlands Centre for Biodiversity Naturalis, Leiden. Zoologische Mededelingen, Leiden. 85 (2): 11-53. [details]

additional source Manuel, R. L. (1981). British Anthozoa. London: Academic Press. 241 pp. (Synopses of the British Fauna). [details]

additional source Carlgren, O. (1949). A survey of the Ptychodactiaria, Corallimorpharia and Actiniaria. Kungliga Svenska Vet- enskapsakadamiens Handlingar. 1: 1–121. [details]

additional source Stephenson, T. A. (1920). On the classification of Actiniaria. Part I. — Forms with acontia and forms with a mesogloeal sphincter. Quarterly Journal of Microscopical Science. 64, 2, (256): 425-574., available online at https://www.biodiversitylibrary.org/page/27706883#page/509/mode/1up [details]

additional source Cornelius, P. F. S., Ates R. M. L. (2003). On the name of the hermit-crab anemone, Adamsia palliata (OF Muller, 1776). Zoologische Verhandelingen 354: 85-87. [details]

additional source Manuel, R. L. (1977). A redescription of Edwardsia beautempsi and E. timida (Actiniaria: Edwardsidae). Cahiers de Biologie Marine, 18, 483-497 [details]

additional source den Hartog, J. C. (1995). The genus Telmatactis Gravier, 1916 (Actiniaria: Acontiaria: Isophelliidae) in Greece and the eastern Mediterranean. Zoologische Mededelingen, Leiden, 69(14):

153-176 [details]

additional source Doumenc, D. A.; Koukouras, A. (1985). Actinies de la mer Égée: méthodes d'identification, zoogéographie. Bulletin du Muséum National d'Histoire Naturelle (Paris), 7A, 4, (3): 497-529 [details]

additional source Schmidt, H. (1972). Prodromus zu einer Monographie der mediterranean Aktinien. Zoologica, 42(121): 1-121 [details]

additional source Stephenson, T. A. (1929). On methods of reproduction as specific characters. Journal of the Marine Biological Association of the United Kingdom, 16(1): 131-172 [details]

additional source Mathew, K. (1979). Studies on the biology of a sea anemone, Anthopleura nigrescens (Verrill) from the south west coast of India. Bulletin of the Department of Marine Sciences, University of Cochin, 10, 75-158 [details]

additional source Zamponi, M. O. (1985). Algunos integrantes de la actiniofauna (familias Hormathiidae y Sagartiomorphidae) del Mar Mediterraneo y Japon (1). Historia Natural (Corrientes), 5(10): 69-76 [details]

additional source Ates, R. M. L. (1997). Gastropods carrying actinians. Proceedings of the Sixth International Conference on Coelenterate Biology, 11-20 [details]

additional source Dunn, D. F. (1975). Reproduction of the externally brooding sea anemone Epiactis prolifera Verrill, 1869. Biological Bulletin, 148, 199-218 [details]

additional source Hertwig, R. (1882). Die Actinien der Challenger Expedition. Gustav Fischer. Jena., pp. 119. [details]

additional source Hertwig, R. (1882). Report on the Actiniaria dredged by H.M.S. Challenger during the years 1873-1876. Report on the Scientific Results of the Voyage of the H.M.S. Challenger during the years 1873-76 (Zoology), 6(1): 1-136 [details]

additional source Pax, F. (1952). Die Antipatharien, Zoantharien und Actiniarien der ?Hvar"-Expedition. Izvjesca-Reports, 6(1): 3-24 [details]

additional source Pax, F.; Müller, I. (1955). Gli Antozoi del Museo Civico di Storia Naturale di Trieste Parte I: Antipatharia, Ceriantharia, Zoantharia, Actiniaria, Alcyonaria, e Pennatularia. Atti del Museo Civico di Storia Naturale Trieste, 20(7-8): 103-129 [details]

additional source Pax, F.; Müller, I. (1962). Die Anthozoenfauna der Adria / Fauna antozoa Jadrana. Fauna et Flora Adriatica, 3, 1-343 [details]

additional source Stephenson, T. A. (1928). The British Sea Anemones. Volume I. The Ray Society. London., volume 1, pp. 148. [details]

additional source Ross, D. M.; Sutton, L. (1967). The response to molluscan shells of the swimming sea anemones Stomphia coccinea and Actinostola new species. Canadian Journal of Zoology, 45(6): 895-906 [details]

additional source Pax, F.; Mueller, I. (1953). Die Anthozoenfauna der bucht von Ka?tela bei Split. Acta Adriatica, 5(1): 3-35 [details]

additional source Müllegger, S. (1938). Die Aktinien: Beschreibung der vornehmlich im aquarium gehaltenen Aktinien. Wochenschrift für Aquarien und Tarrarienkunde, 39-44, 1-16 [details]

additional source Uchida, H.; Soyama, I. (2001). Sea Anemones in Japanese Waters. TBS. Japan., pp. 157. [details]

additional source Chintiroglou, C. C.; Doumenc, D. A.; Zamponi, M. O. (1997). Commented list of the Mediterranean Actiniaria and Corallimorpharia (Anthozoa). Acta Adriatica, 38(1): 65-70 [details]

additional source Loukmidou, S.; Chintiroglou, C. C.; Doumenc, D. A. (1997). Inventaire du cnidome des actiniaires et corallimorphaires de Mediterranee (Cnidaria, Anthozoa). Bios, 4, 63-114 [details]

additional source Williams, R. B. (2003). Locomotory behaviour and functional morphology of Nematostella vectensis (Anthozoa: Actiniaria: Edwardsiidae): a contribution to a comparative study of burrowing behaviour in athenarian sea anemones. Zoologische Verhandelingen, 345, 437-484 [details]

additional source Honma, T.; Nagai, H.; Nagashima, Y.; Shiomi, K. (2003). Molecular cloning of an epidermal growth factor-like toxin and two sodium channel toxins from the sea anemone Stichodactyla gigantea. Biochimica et Biophysica Acta, 1652, 103-106 [details]

additional source Riemann-Zürneck, K. (1969). Sagartia troglodytes (Anthozoa). Biologie und Morphologie einer schlickbewohnenden Aktinie. Veröffentlichungen des Institutes für Meeresforschung Bremerhaven, 12, 169-230 [details]

additional source Acuña, F. H.; Excoffon, A. C.; Scelzo, M. A. (2003). Mutualism between the sea anemone Antholoba achates (Drayton, 1846) (Cnidaria: Actiniaria: Actinostolidae) and the spider crab Libinia spinosa Milne-Edwards, 1834 (Crustacea: Decapoda, Majidae). Belgium Journal of Zoology, 133(1): 85-87 [details]

additional source Pax, F.; Müller, I. (1955). Gli Antozoi del Golfo di Trieste. Atti del Museo Civico di Storia Naturale Trieste, 20(6): 49-102 [details]

additional source Lawn, I. D. (1975). An electrophysiological analysis of chemoreception in the sea anemone Tealia felina. Journal of Experimental Biology, 63, 525-536 [details]

additional source Lawn, I. D.; McFarlane, I. D. (1976). Control of shell settling in the swimming sea anemone Stomphia coccinea. Journal of Experimental Biology, 64, 419-429 [details]

additional source Lawn, I. D.; Ross, D. M. (1982). The behavioural physiology of the swimming sea anemone Boloceroides mcmurrichi. Proceedings of the Royal Society of London, 216, 315-334 [details]

additional source Cuhha, R. B.; Santana, A. N. C.; Amaral, P. C.; Carvalho, M. D. F.; Carvalho, D. M. F.; Cavalheiro, E. A.; Maigret, B.; Ricart, C. A. O.; Cardi, B. A.; Sousa, M. V.; Carvalho, K. M. (2004). Primary structure, behavioral and electroencephalographic effects of an epileptogenic peptide from the sea anemone Bunodosoma cangicum. Toxicon, 45, 207-217 [details]

additional source Robson, E. A. (2004). Cnidogenesis in the jewel anemone Corynactis californica (Carlgren, 1936) and C. viridis (Allman, 1846) (Anthozoa: Corallimorpharia). Zoologische Mededelingen, Leiden, 78(27): 461-476 [details]

additional source Bigger, C. H. (1982). The cellular basis of the aggressive acrorhagial response of sea anemones. Journal of Morphology, 173, 259-278 [details]

additional source Acuña, F. H.; Zamponi, M. O. (1995). Feeding ecology of intertidal sea anemones (Cnidaria, Actiniaria): food sources and trophic parameters. Biociências, 3(2): 73-84 [details]

additional source Acuña, F. H.; Zamponi, M. O. (1996). Ecología trófica de las anémonas intermareales Phymactis clematis Dana, 1849, Aulactinia marplatensis (Zamponi, 1977) y A. reynaudi (Milne-Edwards, 1857) (Actiniaria: Actiniidae): relaciones entre las anémonas y sus presas. Ciencias Marinas, 22(4): 397-413 [details]

additional source Patzner, R. A. (2004). Associations with sea anemones in the Mediterranean Sea: a review. Ophelia, 58(1): 1-11 [details]

additional source Pax, F.; Müller, I. (1954). Die korallentiere der Adria. Die Aquarien-und Terrarien-Zeitschrift, 7 [details]

additional source Pax, F. (1956). La conoscenza degli antozoi Adriatici fino alla fine del secolo XVIII. Bollettino della Società Adriatica di Scienze Naturali, 48, 50-61 [details]

additional source Teissier, G. (1965). Inventaire de la faune marine de Roscoff. Station Biologique de Roscoff. Roscoff., pp. 62. [details]

additional source Shelton, G. A. B. (1980). Lophelia pertusa (L.): electrical conduction and behaviour in a deep-water coral. Journal of the Marine Biological Association of the United Kingdom, 60, 517-528 [details]

additional source Ross, D. M. (1970). The commensal association of Calliactis polypus and the hermit crab Dardanus gemmatus in Hawaii. Canadian Journal of Zoology, 48(2): 351-357 [details]

additional source Olivera, E. G.; Patronelli, L.; Zamponi, M. O.; Oppedisano, M. A. (2002). The marginal sphincter of the sea anemone Phymatics clematis (Anthozoa): Transmission electron microscopic analysis. Revista Real Academia Galega de Ciencias, 21, 31-38 [details]

additional source Cutress, C. E.; Ross, D. M.; Sutton, L. (1970). The association of Calliactis tricolor with its pagurid, calappid, and majid partners in the Caribbean. Canadian Journal of Zoology, 48, 371-376 [details]

additional source Brooks, W. R.; Mariscal, R. N. (1985). Asexual reproduction by the symbiotic sea anemone Calliactis tricolor (Lesueur). Bulletin of Marine Science, 36(3): 432-435 [details]

additional source Riedel, B.; Stachowitsch, M.; Zuschin, M. (2008). Sea anemones and brittle stars: unexpected predatory interactions during induced in situ oxygen crises. Marine Biology, 153, 1075-1085 [details]

additional source Eckelbarger, K. J.; Hand, C. H.; Uhlinger, K. R. (2008). Ultrastructural features of the trophonema and oogenesis in the starlet sea anemone, Nematostella vectensis (Edwardsiidae). Invertebrate Biology, 127(4): 3810395 [details]

additional source Honma, T.; Shiomi, K. (2006). Peptide toxins in sea anemones: structural and functional aspects. Marine Biotechnology, 8, 1-10 [details]

additional source Ross, D. M. (1979). 'Stealing' of the symbiotic anemone, Calliactis parasitica, in intraspecific and interspecific encounters of three species of Mediterranean pagurids. Canadian Journal of Zoology, 57(6): 1181-1189 [details]

additional source Ross, D. M.; Wada, T. (1975). The behavior of actinians in symbiotic associations with pagurids in Japan. Canadian Journal of Zoology, 53(12): 1735-1748 [details]

additional source Daly, M.; Chaudhuri, A.; Gusmão, L.; Rodríguez, E. (2008). Phylogenetic relationships among sea anemones (Cnidaria: Anthozoa: Actiniaria). Molecular Phylogenetics and Evolution, 48, 292-301 [details]

additional source Morales, L.; Acevedo, O.; Martínez, M.; Gokhman, D.Corredor, C. (2009). Functional discrimination of sea anemone neurotoxins using 3D-plotting. Central European Journal of Biology, 4(1): 41-49 [details]

additional source Schmidt, H.; Béress, L. (1971). Phylogenetische betrachtungen zur toxizität und nesselwirkung einiger Actiniaria (Anthozoa) im vergleich zur morphologie ihrer nesselkapseln. Kieler Meeresforschungen, XXVII(2): 166-170 [details]

additional source Hasegawa, Y.; Honma, T.; Nagai, H.; Ishida, M.; Nagashima, Y.; Shiomi, K. (2006). Isolation and cDNA cloning of a potassium channel peptide toxin from the sea anemone Anemonia erythraea. Toxicon, 48, 536-542 [details]

additional source Ross, D. M.; Kikuchi, T. (1976). Some symbiotic associations between anemones and gastropods in Japan. Publications from the Amakusa Marine Biological Laboratory, 4(1): 41-50 [details]

additional source Daly, M.; Gusmão, L.; Reft, A. J.; Rodríguez, E. (2010). Phylogenetic signal in mitochondrial and nuclear markers in sea anemones (Cnidaria, Actiniaria). Integrative and Comparative Biology, 50(3): 371-388 [details]

additional source Honma, T.; Minagawa, S.; Nagai, H.; Ishida, M.; Nagashima, Y.; Shiomi, K. (2005). Novel peptide toxins from acrorhagi, aggressive organs of the sea anemone Actinia equina. Toxicon, 46, 7, 768-774 [details]

additional source Mercier, A.; Hamel, J. (2008). Nature and role of newly described symbiotic associations between a sea anemone and gastropods at bathyal depths in the NW Atlantic. Journal of Experimental Marine Biology and Ecology, 358, 57-69 [details]

additional source Ross, D. M. (1960). The association between the hermit crab Eupagurus bernhardus (L.) and the sea anemone Calliactis parasitica (Couch). Proceedings of the Zoological Society of London, 134, 1, 43-57 [details]

additional source Stephenson, T. A. (1929). On the nematocysts of sea anemones. Journal of the Marine Biological Association of the United Kingdom, 16(1): 173-201 [details]

additional source Imafuku, M.; Yamamoto, T.; Ohta, M. (2000). Predation on symbiont sea anemones by their host hermit crab Dardanus pedunculatus. Marine and Freshwater Behaviour and Physiology, 33, 221-232 [details]

additional source Corrêa, D. D. (1964). Corallimorpharia e Actiniaria do Atlantico Oeste Tropical. Universidade de São Paulo (Dissertation). São Paulo., pp. 139. [details]

additional source Ramil Blanco, F.; Pulpeiro, E. F. (1990). Inventario de los antozoos de Galicia. A checklist of the Anthozoa from Galicia. Boletin de la Real Sociedad Española de Historia Natural, 86(1-4): 17-30 [details]

additional source Christidis, J.; Chintiroglou, C. C.; Culley, M. B. (1997). A study of the populations of Calliactis parasitica (Couch, 1842) in symbiosis with anomuran decapods in Thermaikos Gulf (N. Aegean Sea). Crustaceana, 70(2): 227-238 [details]

additional source Honma, T.; Kawahata, S.; Ishida, M.; Nagai, H.; Nagashima, Y.; Shiomi, K. (2008). Novel peptide proteins from the sea anemone Stichodactyla haddoni. Peptides, 29, 536-544 [details]

additional source Guinot, D.; Doumenc, D. A.; Chintiroglou, C. C. (1995). A review of the carrying behaviour in brachyuran crabs, with additional information on the symbioses with sea anemones. Raffles Bulletin of Zoology, 43(2): 377-416 [details]

additional source Hayward, P.J. & J.S. Ryland (Eds.). (1990). The marine fauna of the British Isles and North-West Europe: 1. Introduction and protozoans to arthropods. Clarendon Press: Oxford, UK. 627 pp. [details]

Última atualização: 08 Out. 2018