

Dicologlossa hexophthalma (Bennett, 1831)

AphiaID: 274298

OCELLATED WEDGE SOLE

Biota (Superdominio) > Animalia (Reino) > Chordata (Filo) > Vertebrata (Subfilo) > Gnathostomata (Infrafilo) > Osteichthyes (Parvfilo) > Actinopterygii (Gigaclasses) > Actinopteri (Superclasse) > Teleostei (Classe) > Pleuronectiformes (Ordem) > Soleidae (Familia) > Dicologlossa (Genero)

Synonyms

Dicologlossa hexophthalma (Bennett, 1831)
Microchirus (Zevaia) hexophthalmus (Bennett, 1831)
Microchirus hexophthalmus (Bennett, 1831)
Quenselia hexophthalmus (Bennett, 1831)
Solea hexophthalma Bennett, 1831

References

additional source Froese, R. & D. Pauly (Editors). (2018). FishBase. World Wide Web electronic publication. , available online at <http://www.fishbase.org> [details]

additional source Ben Rais Lasram, F.; Mouillot, D. (2008). Increasing southern invasion enhances congruence between endemic and exotic Mediterranean fish fauna. *Biological Invasions*. 11(3): 697-711., available online at <https://doi.org/10.1007/s10530-008-9284-4> [details]

ecology source Looby, A.; Erbe, C.; Bravo, S.; Cox, K.; Davies, H.L.; Di Iorio, L.; Jézéque, Y.; Juanes, F.; Martin, C.W.; Mooney, T.A.; Radford, C.; Reynolds, L.K.; Rice, A.N.; Riera, A.; Rountree, R.; Sprie, B.; Stanley, J.; Vela, S.; Parsons, M.J.G. Underwater Soniferous Behavior Trait Provided in the World Register of Marine Species. (In preparation). [details]

Last update: 12 Nov. 2018