

Nereis pelagica Linnaeus, 1758

AphiaID: 130404

Biota (Superdominio) > Animalia (Reino) > Annelida (Filo) > Polychaeta (Classe) > Errantia (Subclasse) > Phyllodocida (Ordem) > Nereidiformia (Subordem) > Nereididae (Familia) > Nereidinae (Subfamilia) > Nereis (Genero)

Sinónimos

Nereis verrucosa Müller, 1776

Referências

original description Linnaeus, C. (1758). Systema Naturae per regna tria naturae, secundum classes, ordines, genera, species, cum characteribus, differentiis, synonymis, locis. Editio decima, reformata. Laurentius Salvius: Holmiae. ii, 824 pp., available online at <https://doi.org/10.5962/bhl.title.542> [details]

additional source Integrated Taxonomic Information System (ITIS). , available online at <http://www.itis.gov> [details]

additional source Hartmann-Schröder, G. (1996). Annelida, Borstenwürmer, Polychaeta [Annelida, bristleworms, Polychaeta]. 2nd revised ed. The fauna of Germany and adjacent seas with their characteristics and ecology, 58. Gustav Fischer: Jena, Germany. ISBN 3-437-35038-2. 648 pp. [details]

basis of record Bellan, Gerard. (2001). Polychaeta, in: Costello, M.J. et al. (Ed.) (2001). European register of marine species: a check-list of the marine species in Europe and a bibliography of guides to their identification. Collection Patrimoines Naturels. 50: pp. 214-231. [details]

additional source Brunel, P.; Bosse, L.; Lamarche, G. (1998). Catalogue of the marine invertebrates of the estuary and Gulf of St. Lawrence. Canadian Special Publication of Fisheries and Aquatic Sciences, 126. 405 p. [details]

additional source Meinkoth, N.A. 1981. Field guide to North American seashore creatures. The Audubon Society. Alfred A. Knopf. New York. 799 p. [details]

additional source Day, J. H. (1967). [Errantia] A monograph on the Polychaeta of Southern Africa. Part 1. Errantia. British Museum (Natural History), London. pp. vi, 1-458, xxix., available online at <https://doi.org/10.5962/bhl.title.8596> [details]

additional source Muller, Y. (2004). Faune et flore du littoral du Nord, du Pas-de-Calais et de la Belgique: inventaire. [Coastal fauna and flora of the Nord, Pas-de-Calais and Belgium: inventory]. Commission Régionale de Biologie Région Nord Pas-de-Calais: France. 307 pp., available online at <http://www.vliz.be/imisdocs/publications/145561.pdf> [details]

additional source Rioja, Enrique. (1918). Datos para le conocimiento de la fauna de anelidos poliquetos del cantabrico (2nd parte). Trabajos del Museo Nacional de Ciencias Naturale. Serie zoológica. 37: 1-99., available online at <http://biodiversitylibrary.org/page/13722697> [details]

additional source Trott, T. J. (2004). Cobscook Bay inventory: a historical checklist of marine invertebrates spanning 162 years. Northeastern Naturalist. 11, 261-324., available online at <http://www.gulfofmaine.org/kb/files/9793/TROTT-Cobscook%20List.pdf> [details]

redescription Bakken, T.; Wilson, R.S. (2005). Phylogeny of nereidids (Polychaeta, Nereididae) with paragnaths. Zoologica Scripta. 34(5): 507-547., available online at <https://doi.org/10.1111/j.1463-6409.2005.00200.x> [details]

additional source Ehlers, Ernst. (1868). Die Borstenwürmer (Annelida Chaetopoda) nach systematischen und anatomischen Untersuchungen dargestellt. Volume 2: i-xx, 269-748, plates XII-XXIV. Wilhelm Engelmann, Leipzig., available online at <http://biodiversitylibrary.org/page/1985162> [details]

additional source Fauvel, P. 1914. Annélides polychètes non-pélagiques provenant des campagnes de l'Hirondelle et de la Princesse-Alice (1885-1910). Résultats des campagnes scientifiques accomplies par le Prince Albert I, 46: 1-432., available online at <http://www.biodiversitylibrary.org/item/18640#9> [details]

additional source Fauvel, P. (1923). Polychètes errantes. Faune de France. Librairie de la Faculte des Sciences. Paris. 5: 1-488., available online at <http://www.faunedefrance.org/> [details]

redescription Hilbig, B. (1994). Family Nereididae Johnston, 1845. pages 301-327. IN: Blake, J.A. and Hilbig, Brigitte. Taxonomic Atlas of the Benthic Fauna of the Santa Maria Basin and Western Santa Barbara Channel. 4 - The Annelida Part 1. Oligochaeta and Polychaeta: Phyllodocida (Phyllodocidae to Paralacydoniidae). Santa Barbara Museum of Natural History. [details]

redescription Jirkov, I.A. (2001). [Polychaeta of the Arctic Ocean] (In Russian) Polikhety severnogo Ledovitogo Okeana. Yanus-K Press, Moscow, 632 pp., available online at https://www.researchgate.net/publication/259865957_Jirkov_2001_Polychaeta_of_the_North_Polar_Basin [details]

additional source Malmgren, A. J. (1866). Nordiska Hafs-Annulater. Öfversigt af Königlich Vetenskapsakademiens förhandlingar, Stockholm. 22(5): 355-410., available online at <http://www.biodiversitylibrary.org/item/100715#page/369/mode/1up> [details]

additional source Malmgren, A.J. (1867). Annulata Polychaeta Spetsbergiæ, Grœnlandiæ, Islandiæ et Scandinaviæ. Hactenus Cognita. Ex Officina Frenckelliana, Helsingforslæ. 127 pp. & XIV plates., available online at <https://doi.org/10.5962/bhl.title.13358> [details]

additional source McIntosh, W.C. 1910. A monograph of the British annelids. Polychaeta. Syllidae to Ariciidae. Ray Society of London, 2(2): 233-524., available online at <http://www.archive.org/details/monographBritis2McIn> [details]

additional source Pryde, James W. 1914. [Syllidae Nereididae Eunicidae] Report on the Annelida Polychaeta collected in the North Sea and adjacent parts by the Scotch Fishery Board vessel "Goldseeker" -Part III. Syllidae to Eunicidae. Annals and Magazine of Natural History, 14: 289-315, plate 16., available online at <http://biodiversitylibrary.org/page/18616524> [details]

redescription Vieitez, J.M.; M.A.; Alós, C.; Parapar, J.; Besteiro, C.; Moreira, J.; Nunez, J.; Laborda, J.; and San Martin, G. (2004). Annelida Polychaeta I. Fauna Iberica. Ramos, M.A. et al (Eds.). Museo Nacional de Ciencias Naturales, CSIC, Madrid, Vol. 25:1-530 [sections separate authorship not recognised here]. [details]

additional source Fauchald, K.; Granados-Barba, A.; Solís-Weiss, V. (2009). Polychaeta (Annelida) of the Gulf of Mexico, Pp. 751-788 in D.L. Felder and D.K. Camp (eds.). Gulf of Mexico. Origin, Waters, and Biota. Volume 1, Biodiversity. Texas A&M University Press, College Station, Texas., available online at <http://goo.gl/auMxy9> [details]

additional source Liu J.Y. [Ruiyu] (ed.). (2008). Checklist of marine biota of China seas. China Science Press. 1267 pp. [details]

redescription Imajima, Minoru. (2003). Polychaetous Annelids from Sagami Bay and Sagami Sea collected by the Emperor Showa of Japan and deposited at the Showa Memorial Institute, National Science Museum, Tokyo (II), Orders included within the Phyllodocida, Amphinomida, Spintherida and Enicida. National Science Museum Monographs. 23: 1-221., available online at <http://ci.nii.ac.jp/naid/110004708004/en> [details]

context source (HKRMS) Wang, J. J. & Huang, Z. G. (1994). Fouling polychaetes of Hong Kong and adjacent waters. In Asian Marine Biology 10 (ed. Morton, B.), PP1-12. Hong Kong University Press, Hong Kong. [details]

additional source Hartmann-Schröder, G. 1962. Zur Kenntnis der Nereiden Chiles (Polychaeta errantia), mit Beschreibung epitoker Stadien einiger Arten und der Jugendentwicklung von Perinereis vallata (Grube). Zoologischer Anzeiger, 168(11-12): 389-441. [details]

additional source Rathke, H. (1843). Beiträge zur Fauna Norwegens. Nova Acta Academiae Caesareae Leopoldino-Carolinae Naturae Curiosorum, Breslau & Bonn. 20: 1-264c., available online at <https://doi.org/10.5962/bhl.title.11613> [details]

Última atualização: 25 Jan. 2018