

Pholoe minuta (Fabricius, 1780)

AphiaID: 130603

Biota (Superdominio) > Animalia (Reino) > Annelida (Filo) > Polychaeta (Classe) > Errantia (Subclasse) > Phyllodocida (Ordem) > Aphroditiformia (Subordem) > Sigalionidae (Familia) > Pholoinae (Subfamilia) > Pholoe (Genero)



Hans Hillewaert, via WoRMS

Sinónimos

Aphrodita minuta Fabricius, 1780

Palmyra ocellata Johnston, 1827

Pholoe eximia Johnston, 1865

Pholoe minuta eximia Johnson, 1839

Pholoe synophthalmica dinardensis Saint Joseph, 1888

Polynoe minuta Castelnau, 1842

Sigalion ocellatum Bobretzky, 1868

Referências

additional source Fauchald, K. (1977). The polychaete worms, definitions and keys to the orders, families and genera. Natural History Museum of Los Angeles County: Los Angeles, CA (USA), Science Series. 28:1-188., available online at <http://www.vliz.be/imisdocs/publications/123110.pdf> [details]

additional source Integrated Taxonomic Information System (ITIS). , available online at <http://www.itis.gov> [details]

additional source Petersen, M.E. (1998). Pholoe (Polychaeta: Pholoidae) from northern Europe: a key and notes on the nearshore species. J. Mar. Biol. Ass. U.K. 78(4): 1373-1376 [details]

basis of record Bellan, Gerard. (2001). Polychaeta, in: Costello, M.J. et al. (Ed.) (2001). European register of marine species: a check-list of the marine species in Europe and a bibliography of guides to their identification. Collection Patrimoines Naturels. 50: pp. 214-231. [details]

additional source Brunel, P.; Bosse, L.; Lamarche, G. (1998). Catalogue of the marine invertebrates of the estuary and Gulf of St. Lawrence. Canadian Special Publication of Fisheries and Aquatic Sciences, 126. 405 p. [details]

additional source Pettibone, M.H. 1952 MS. Checklist of Polychaeta of New England region. 32 p. [details]

additional source Day, J. H. (1967). [Errantia] A monograph on the Polychaeta of Southern Africa. Part 1. Errantia. British Museum (Natural History), London. pp. vi, 1-458, xxix., available online at <https://doi.org/10.5962/bhl.title.8596> [details]

additional source Bobretzky, N. (1881). Dopolnenia k faune Annelid Chernogo morya [Additions/supplement to the annelid fauna of the Black Sea]. Zapiski Kievskago obshchestva estestvoispytatelei [Mémoires de la Société des Naturalistes de Kiev]. 6(2): 183-212, plates 6 & 7., available online at <https://catalog.hathitrust.org/Record/100422735> [details]

additional source Trott, T. J. (2004). Cobscook Bay inventory: a historical checklist of marine invertebrates spanning 162 years. Northeastern Naturalist. 11, 261-324., available online at <http://www.gulfofmaine.org/kb/files/9793/TROTT-Cobscook%20List.pdf> [details]

original description Fabricius, Otto 1780. [POLYCHAETA & ANNELIDA DATA. p.266-315; 374-384] Fauna Groenlandica, systematice sistens, Animalia Groenlandiae occidentalis hactenus indagata, quoad nomen specificum, triviale, vernaculumque synonyma auctorum plurium, descriptionem, locum, victum, generationem, mores, usum, capturamque singuli prout detegendi occasio fuit, maximaque parte secundum proprias observationes: Hafniae [Copenhagen] et Lipsiae. [details]

additional source Hartman, Olga. (1959). Catalogue of the Polychaetous Annelids of the World. Parts 1 and 2. Allan Hancock Foundation Occasional Paper. 23: 1-628. [details]

additional source Malmgren, A. J. (1865). Nordiska Hafs-Annulater. Öfversigt af Königlich Vetenskapsakademiens förhandlingar, Stockholm. 22(1): 51-110., available online at <http://www.biodiversitylibrary.org/item/100715#page/61/mode/1up> [details]

additional source Malmgren, A. J. (1866). Nordiska Hafs-Annulater. Öfversigt af Königlich Vetenskapsakademiens förhandlingar, Stockholm. 22(5): 355-410., available online at <http://www.biodiversitylibrary.org/item/100715#page/369/mode/1up> [details]

additional source McIntosh, W.C. 1900. A monograph of British Annelids. vol.1. pt.2. Polychaeta Amphinomidae to Sigalionidae. Ray Society of London, 1(12): 215-442., available online at <http://www.biodiversitylibrary.org/item/118768#page/11/mode/1up> [details]

additional source Örsted, Anders Sandoe 1843. Grönlands Annulata dorsibranchiata. Kongelige Danske videnskabernes selskabs. Naturvidenskabelige og matematiske afhandlinger, 10 (series 4): 153-216. 8 plates, available online at <http://www.biodiversitylibrary.org/item/48424#page/287/mode/1up> [details]

additional source Fauchald, K.; Granados-Barba, A.; Solís-Weiss, V. (2009). Polychaeta (Annelida) of the Gulf of Mexico, Pp. 751-788 in D.L. Felder and D.K. Camp (eds.). Gulf of Mexico. Origin, Waters, and Biota. Volume 1, Biodiversity. Texas A&M University Press, College Station, Texas., available online at <http://goo.gl/auMxy9> [details]

additional source Liu J.Y. [Ruiyu] (ed.). (2008). Checklist of marine biota of China seas. China Science Press. 1267 pp. [details]

context source (Deepsea) Intergovernmental Oceanographic Commission (IOC) of UNESCO. The Ocean Biogeographic Information System (OBIS), available online at <http://www.iobis.org/> [details]

context source (Schelde) Maris, T.; Beauchard, O.; Van Damme, S.; Van den Bergh, E.; Wijnhoven, S.; Meire, P. (2013). Referentiematrices en Ecotooppoppervlaktes Annex bij de Evaluatiemethodiek Schelde-estuarium Studie naar "Ecotooppoppervlaktes en intactness index". Monitor Taskforce Publication Series, 2013-01. NIOZ: Yerseke. 35 pp. [details]

context source (BeRMS 2020) Bio-environmental research group; Institute of Agricultural and Fisheries research (ILVO), Belgium; (2015): Macrobenthos monitoring in function of the Water Framework Directive in the period 2007-2009. [details]

redescription Meißner, Karin; Bick, Andreas; Götting, Miriam. (2016). Arctic Pholoe (Polychaeta: Pholoidae): when integrative taxonomy helps to sort out barcodes. Zoological Journal of the Linnean Society. 179(2): 237-262., available online at <https://doi.org/10.1111/zoj.12468> [details]

Última atualização: 02 Jul. 2017