

Glycera alba (O.F. Müller, 1776)

AphiaID: 130116

Biota (Superdominio) > Animalia (Reino) > Annelida (Filo) > Polychaeta (Classe) > Errantia (Subclasse) > Phyllodocida (Ordem) > Glyceriformia (Subordem) > Glyceridae (Familia) > Glycera (Genero)



Hans Hillewaert, via WoRMS

Sinónimos

Glycera albicans Quatrefages, 1850
Glycera branchialis Quatrefages, 1866
Glycera danica Quatrefages, 1866
Glycera minuta (Bobretzky, 1870)
Glycera minuta sevastopolica Czerniavsky, 1881
Glycera minuta suchumica Czerniavsky, 1881

Nereis alba Müller, 1776

Rhynchobolus minutus Bobretzky, 1870

Referências

additional source Integrated Taxonomic Information System (ITIS). , available online at <http://www.itis.gov> [details]

additional source Hartmann-Schröder, G. (1996). Annelida, Borstenwürmer, Polychaeta [Annelida, bristleworms, Polychaeta]. 2nd revised ed. The fauna of Germany and adjacent seas with their characteristics and ecology, 58. Gustav Fischer: Jena, Germany. ISBN 3-437-35038-2. 648 pp. [details]

basis of record Bellan, Gerard. (2001). Polychaeta, in: Costello, M.J. et al. (Ed.) (2001). European register of marine species: a check-list of the marine species in Europe and a bibliography of guides to their identification. Collection Patrimoines Naturels. 50: pp. 214-231. [details]

additional source Pocklington, P. 1989 MS. Polychaetes of eastern Canada. An illustrated key to polychaetes of eastern Canada including the eastern Arctic. Department of Fisheries and Oceans, Mont-Joli, Quebec. 274 p. + I-XXXIII pl. [details]

additional source Day, J. H. (1967). [Errantia] A monograph on the Polychaeta of Southern Africa. Part 1. Errantia. British Museum (Natural History), London. pp. vi, 1-458, xxix., available online at <https://doi.org/10.5962/bhl.title.8596> [details]

additional source Muller, Y. (2004). Faune et flore du littoral du Nord, du Pas-de-Calais et de la Belgique: inventaire. [Coastal fauna and flora of the Nord, Pas-de-Calais and Belgium: inventory]. Commission Régionale de Biologie Région Nord Pas-de-Calais: France. 307 pp., available online at <http://www.vliz.be/imisdocs/publications/145561.pdf> [details]

original description Müller, O. F. (1776). Zoologiae Danicae prodromus: seu Animalium Daniae et Norvegiae indigenarum characteres, nomina, et synonyma imprimis popularium. Hafniae, Typiis Hallageriis. 1-274., available online at <https://doi.org/10.5962/bhl.title.13268> [details]

additional source Fauvel, P. (1923). Polychètes errantes. Faune de France. Librairie de la Faculte des Sciences. Paris. 5: 1-488., available online at <http://www.faunedefrance.org/> [details]

additional source Grube, A.E. 1850. Die Familien der Anneliden. Archiv für Naturgeschichte, Berlin, 16(1): 249-364., available online at <http://www.biodiversitylibrary.org/item/31180#page/257/mode/1up> [details]

redescription Jirkov, I.A. (2001). [Polychaeta of the Arctic Ocean] (In Russian) Polikhety severnogo Ledovitogo Okeana. Yanus-K Press, Moscow, 632 pp., available online at https://www.researchgate.net/publication/259865957_Jirkov_2001_Polychaeta_of_the_North_Polar_Basin [details]

additional source Malmgren, A.J. (1867). Annulata Polychaeta Spetsbergiae, Groenlandiae, Islandiae et

Scandinaviæ. Hactenus Cognita. Ex Officina Frenckelliana, Helsingforslæ. 127 pp. & XIV plates., available online at <https://doi.org/10.5962/bhl.title.13358> [details]

additional source Liu J.Y. [Ruiyu] (ed.). (2008). Checklist of marine biota of China seas. China Science Press. 1267 pp. [details]

redescription Imajima, Minoru. (2003). Polychaetous Annelids from Sagami Bay and Sagami Sea collected by the Emperor Showa of Japan and deposited at the Showa Memorial Institute, National Science Museum, Tokyo (II), Orders included within the Phyllodocida, Amphinomida, Spintherida and Enicida. National Science Museum Monographs. 23: 1-221., available online at <http://ci.nii.ac.jp/naid/110004708004/en> [details]

context source (HKRMS) Shin, P. K. S. (1982). The macrobenthic infauna of Tolo Harbour and Tolo Channel , Hong Kong. In: Proceedings of the first international marine biological workshop: The marine flora and fauna of Hong Kong and southern China (ed. Morton, B.), vol. 2, pp721-732. Hong Kong University Press, Hong Kong. [details]

context source (Schelde) van Eck, G. Th. M.; Holzhauer, H. (2007). Monitoring van de effecten van de verruiming 48'/43': MOVE eindrapport 2006 (Rapport 10). Rapport RIKZ = Report RIKZ, 2007.003. RIKZ: Middelburg. 64 pp. [details]

context source (BeRMS 2020) Bio-environmental research group; Institute of Agricultural and Fisheries research (ILVO), Belgium; (2015): Macrobenthos monitoring in function of the Water Framework Directive in the period 2007-2009. [details]

new combination reference Rathke, H. (1843). Beiträge zur Fauna Norwegens. Nova Acta Academiae Caesareae Leopoldino-Carolinae Naturae Curiosorum, Breslau & Bonn. 20: 1-264c., available online at <https://doi.org/10.5962/bhl.title.11613> [details]

Última atualização: 02 Jul. 2017