

Spio filicornis (Müller, 1776)

AphiaID: 131183

Biota (Superdominio) > Animalia (Reino) > Annelida (Filo) > Polychaeta (Classe) > Sedentaria (Subclasse) > Canalipalpata (Infraclasse) > Spionida (Ordem) > Spioniformia (Subordem) > Spionidae (Familia) > Spio (Genero)

Sinónimos

Nereis filicornis Müller, 1776

Spio gattyi McIntosh, 1909

Referências

additional source Integrated Taxonomic Information System (ITIS). , available online at <http://www.itis.gov> [details]

additional source Hartmann-Schröder, G. (1996). Annelida, Borstenwürmer, Polychaeta [Annelida, bristleworms, Polychaeta]. 2nd revised ed. The fauna of Germany and adjacent seas with their characteristics and ecology, 58. Gustav Fischer: Jena, Germany. ISBN 3-437-35038-2. 648 pp. [details]

basis of record Bellan, Gerard. (2001). Polychaeta, in: Costello, M.J. et al. (Ed.) (2001). European register of marine species: a check-list of the marine species in Europe and a bibliography of guides to their identification. Collection Patrimoines Naturels. 50: pp. 214-231. [details]

additional source Brunel, P.; Bosse, L.; Lamarche, G. (1998). Catalogue of the marine invertebrates of the estuary and Gulf of St. Lawrence. Canadian Special Publication of Fisheries and Aquatic Sciences, 126. 405 p. [details]

additional source Pollock, L.W. (1998). A practical guide to the marine animals of northeastern North America. Rutgers University Press. New Brunswick, New Jersey & London. 367 pp., available online at <http://books.google.com/books?id=i1AmT31cuR4C> [details]

additional source Muller, Y. (2004). Faune et flore du littoral du Nord, du Pas-de-Calais et de la Belgique: inventaire. [Coastal fauna and flora of the Nord, Pas-de-Calais and Belgium: inventory]. Commission Régionale de Biologie Région Nord Pas-de-Calais: France. 307 pp., available online at <http://www.vliz.be/imisdocs/publications/145561.pdf> [details]

original description Müller, O. F. (1776). Zoologiae Danicae prodromus: seu Animalium Daniae et

Norvegiae indigenarum characteres, nomina, et synonyma imprimis popularium. Hafniae, Typiis Hallageriis. 1-274., available online at <https://doi.org/10.5962/bhl.title.13268> [details]

additional source Chlebovitsch, V. V. 1961. (The polychaetous annelids of the tidal zone of the Kurile Islands). Akademiia Nauk SSSR, Zool.Inst.Issledovanie dal'nevost.morei SSSR, 7: 151-260. [details]

redescription Meißner, K.; Bick, A.; Bastrop, R. 2011. On the identity of *Spio filicornis* (O.F. Muller, 1776)—with the designation of a neotype, and the description of two new species from the North East Atlantic Ocean based on morphological and genetic studies. Zootaxa (2815): 1-27, available online at <http://www.mapress.com/zootaxa/list/2011/2815.html> [details]

additional source Trott, T. J. (2004). Cobscook Bay inventory: a historical checklist of marine invertebrates spanning 162 years. Northeastern Naturalist. 11, 261-324., available online at <http://www.gulfofmaine.org/kb/files/9793/TROTT-Cobscook%20List.pdf> [details]

additional source Johnston, George. (1865). A catalogue of the British non-parasitical worms in the collection of the British Museum. [book]. 1-365. British Museum. London. [See also separate entry for Baird supplement]., available online at <https://doi.org/10.5962/bhl.title.12291> [details]

source of synonymy Hartman, O. (1948). The polychaetous annelids of Alaska. Pacific Science. 2(1): 3-58., available online at <http://hdl.handle.net/10125/8890> [details]

additional source Fauvel, P. (1927). Polychètes sédentaires. Addenda aux errantes, Arachiannélides, Myzostomaires. Faune de France Volume 16. Paul Lechevalier. Paris. 1-494., available online at [http://www.faunedefrance.org/bibliotheque/docs/P.FAUVEL\(FdeFr16\)Polychetes-sedentaires.pdf](http://www.faunedefrance.org/bibliotheque/docs/P.FAUVEL(FdeFr16)Polychetes-sedentaires.pdf) [details]

redescription Jirkov, I.A. (2001). [Polychaeta of the Arctic Ocean] (In Russian) Polikhety severnogo Ledovitogo Okeana. Yanus-K Press, Moscow, 632 pp., available online at https://www.researchgate.net/publication/259865957_Jirkov_2001_Polychaeta_of_the_North_Polar_Basin [details]

additional source McIntosh, William Carmichel. (1915). Polychaeta, Opheliidae to Ammocharidae. A Monograph of the British Marine Annelids. The Ray Society, London, 3 (1): i-viii, 1-368 (text)., available online at <https://biodiversitylibrary.org/page/38532650> [details]

new combination reference Fabricius, O. (1785). Von dem *Spio*-Geschlecht, einem neuen Wurmgeschlecht *Nereis seticornis* und *Nereis filicornis*, mit Abbildungen. Schriften der Berlinischen Gesellschaft naturforschender Freunde. 6: 256-270, plate V., available online at <http://www.ub.uni-bielefeld.de/diglib/aufkl/schriftberlgesnaturfreunde/schriftberlgesnaturfreunde.htm> [details]

additional source Liu J.Y. [Ruiyu] (ed.). (2008). Checklist of marine biota of China seas. China Science Press. 1267 pp. [details]

context source (Schelde) Maris, T.; Beauchard, O.; Van Damme, S.; Van den Bergh, E.; Wijnhoven, S.; Meire, P. (2013). Referentiematrices en Ecotoopoppervlaktes Annex bij de Evaluatiemethodiek Schelde-estuarium Studie naar “Ecotoopoppervlaktes en intactness index”. Monitor Taskforce

Publication Series, 2013-01. NIOZ: Yerseke. 35 pp. [\[details\]](#)

additional source Malmgren, A.J. (1867). *Annulata Polychaeta Spetsbergiae, Grœnlandiæ, Islandiæ et Scandinaviæ. Hactenus Cognita.* Ex Officina Frenckelliana, Helsingforslæ. 127 pp. & XIV plates., available online at <https://doi.org/10.5962/bhl.title.13358> [\[details\]](#)

Última atualização: 02 Jul. 2017