

Neptunea antiqua (Linnaeus, 1758)

AphiaID: 138920

BÚZIO

Biota (Superdomínio) > Animalia (Reino) > Mollusca (Filo) > Gastropoda (Classe) > Caenogastropoda (Subclasse) > Neogastropoda (Ordem) > Buccinoidea (Superfamília) > Buccinidae (Família) > Neptuneinae (Subfamília) > Neptunea (Gênero)



Rainer Borcharding - Schutzstation Wattenmeer, via beachexplorer.org



Sinónimos

Buccinum magnum da Costa, 1778

Fusus antiquus (Linnaeus, 1758)

Fusus antiquus var. *alba* Jeffreys, 1867

Fusus antiquus var. *gracilis* Jeffreys, 1867

Fusus antiquus var. *striata* Jeffreys, 1867

Fusus antiquus var. *ventricosa* Jeffreys, 1867
Fusus babylonicus T. Brown, 1844
Murex antiquus Linnaeus, 1758
Neptunea (Neptunea) antiqua (Linnaeus, 1758)
Neptunea antiqua striata Kobelt, 1881
Neptunea antiqua striata var. *browni* Dautzenberg & H. Fischer, 1912
Neptunea antiqua var. *kobelti* Dautzenberg & H. Fischer, 1912
Neptunea antiqua var. *media* Dautzenberg & H. Fischer, 1912
Neptunea despecta var. *striata* Kobelt, 1881
Tritonium antiquum (Linnaeus, 1758)
Tritonium antiquum var. *communis*
Tritonium antiquum var. *communis* Middendorff, 1849
Tritonium antiquum var. *originalis* Middendorff, 1849

Referências

additional source Howson, C. M.; Picton, B. E. (1997). The species directory of the marine fauna and flora of the British Isles and surrounding seas. Ulster Museum Publication, 276. The Ulster Museum: Belfast, UK. ISBN 0-948150-06-8. vi, 508 (+ cd-rom) pp. [\[details\]](#)

basis of record Fraussen K. & Terryn Y. (2007). The family Buccinidae. Genus Neptunea. In: A Conchological Iconography [Directed by Guido T. Poppe & Klaus Groh]. ConchBooks, Hackenheim. 159 pp., 154 pls. [\[details\]](#)

context source (BeRMS 2020) Bio-environmental research group; Institute of Agricultural and Fisheries research (ILVO), Belgium; (2015): Epibenthos and demersal fish monitoring at long-term monitoring stations in the Belgian part of the North Sea. [\[details\]](#)

additional source Rehder, H. A. (1942). The genotype of Neptunea. The Nautilus. 56(2): 69., available online at <https://www.biodiversitylibrary.org/page/8520172> [\[details\]](#)

additional source Pearce, J. B.; Thorson, G. (1967). The feeding and reproductive biology of the red whelk, Neptunea antiqua (L.) (Gastropoda, Prosobranchia). Ophelia. 4(2): 277-314., available online at <https://doi.org/10.1080/00785326.1967.10409624> [\[details\]](#)

additional source Power, A.; Keegan, B. (2001). Seasonal patterns in the reproductive activity of the red whelk, Neptunea antiqua (Mollusca: Prosobranchia) in the Irish Sea. Journal of the Marine Biological Association of the United Kingdom. 81(2): 243-250., available online at <https://doi.org/10.1017/s0025315401003708> [\[details\]](#)

Última atualização: 26 Jan. 2018