

Crepidula fornicata (Linnaeus, 1758)

AphiaID: 138963

COMMON SLIPPER SHELL

Biota (Superdomínio) > Animalia (Reino) > Mollusca (Filo) > Gastropoda (Classe) > Caenogastropoda (Subclasse) > Littorinimorpha (Ordem) > Calyptraeoidea (Superfamília) > Calyptraeidae (Família) > Crepidula (Gênero)



Vasco Ferreira Todos os direitos reservados



Vasco Ferreira Todos os direitos reservados



Vasco Ferreira Todos os direitos reservados



Lísia Lopes - Universidade de Aveiro / Jan. 01 1970



Synonyms

Crepidula densata Conrad, 1843
Crepidula virginica Conrad, 1871
Crypta nautarum Mörch, 1877
Patella fornicata Linnaeus, 1758

References

additional source Abbott R. T. (1974). American seashells. The marine Mollusca of the Atlantic and Pacific coast of North America. ed. 2. Van Nostrand, New York. 663 pp., 24 pls. [October 1974]. [\[details\]](#)

additional source Hoagland, K.E. 1977. Systematic review of fossil and recent *Crepidula* and discussion of the evolution of the Calyptraeidae. *Malacologia*, 16(2): 353-420., available online at <http://biodiversitylibrary.org/page/13131436> [\[details\]](#)

additional source McNeill, G.; Nunn, J.; Minchin, D. (2010). The slipper limpet *Crepidula fornicata* Linnaeus, 1758 becomes established in Ireland. *Aquatic Invasions* 5(Suppl. 1): S21-S25., available online at <https://doi.org/10.3391/ai.2010.5.S1.006> [\[details\]](#)

additional source Blanchard, M. (1997). Spread of the slipper limpet *Crepidula fornicata* (L. 1758) in Europe. Current state and consequences. *Scientia Marina*. 61 (Sup 2): 109-118. [\[details\]](#)

additional source Collin, R. (1995). Sex, size, and position: A test of models predicting size at sex change in the protandrous gastropod *Crepidula fornicata*. *American Naturalist*. 146(6): 815-831., available online at http://www.stri.si.edu/sites/publications/PDFs/Collin_AmNat.pdf [\[details\]](#)

ecology source Richard J., Huet M., Thouzeau G. & Paulet Y.-M. (2006). Reproduction of the invasive slipper limpet, *Crepidula fornicata*, in the Bay of Brest, France. *Marine Biology*. 149(4): 789-801., available online at <https://doi.org/10.1007/s00227-005-0157-4> [\[details\]](#)

additional source Rawlings, T. A.; Aker, J. M.; Brunel, P. (2011). Clarifying the Northern Distributional Limits of the Slipper Limpet *Crepidula fornicata* in the Northwestern Atlantic. *American Malacological Bulletin*. 29(1-2): 105-119., available online at <https://doi.org/10.4003/006.029.0202> [\[details\]](#)

additional source Collin R. (2019). Calyptraeidae from the northeast Pacific (Gastropoda: Caenogastropoda). *Zoosymposia*. 13: 107-130., available online at <http://dx.doi.org/10.11646/zoosymposia.13.1.12> [\[details\]](#)

context source (Introduced species) Katsanevakis, S.; Bogucarskis, K.; Gatto, F.; Vandekerckhove, J.; Deriu, I.; Cardoso A.S. (2012). Building the European Alien Species Information Network (EASIN): a novel approach for the exploration of distributed alien species data. *BioInvasions Records*. 1: 235-245., available online at <http://easin.jrc.ec.europa.eu> [\[details\]](#)

context source (Schelde) Maris, T.; Beauchard, O.; Van Damme, S.; Van den Bergh, E.; Wijnhoven, S.; Meire, P. (2013). Referentiematrices en Ecotooppoppervlaktes Annex bij de Evaluatiemethodiek Schelde-estuarium Studie naar "Ecotooppoppervlaktes en intactness index". Monitor Taskforce Publication Series, 2013-01. NIOZ: Yerseke. 35 pp. [\[details\]](#)

ecology source Richard J., Huet M., Thouzeau G. & Paulet Y.-M. (2006). Reproduction of the invasive slipper limpet, *Crepidula fornicata*, in the Bay of Brest, France. *Marine Biology*. 149(4): 789-801., available online at <https://doi.org/10.1007/s00227-005-0157-4> [\[details\]](#)

ecology source Richard J., Huet M., Thouzeau G. & Paulet Y.-M. (2006). Reproduction of the invasive

slipper limpet, *Crepidula fornicata*, in the Bay of Brest, France. *Marine Biology*. 149(4): 789-801., available online at <https://doi.org/10.1007/s00227-005-0157-4> [details]

additional source Abbott, R. T. (1974). *American seashells. The marine Mollusca of the Atlantic and Pacific coast of North America*. ed. 2. Van Nostrand, New York. 663 pp., 24 pls. [October 1974]. [details]

additional source Adams, C. B. (1839). Observations on some species of the marine shells of Massachusetts, with descriptions of five new species. *Boston Journal of Natural History*. 2: 262-288, pl. 4., available online at <https://www.biodiversitylibrary.org/page/32266920> [details]

additional source Stearns, R. E. C. (1897). Quarter-jacks and jingles. *The Nautilus*. 11(4): 38-40., available online at <https://www.biodiversitylibrary.org/page/1774612> [details]

additional source Winkley, H. W. (1892). A few additional notes on *Crepidula*. *The Nautilus*. 6(6): 63., available online at <https://www.biodiversitylibrary.org/page/42789015> [details]

additional source Johnson, C. W. (1926). The abundance of *Crepidula fornicata* L. at Nantucket, Mass. *The Nautilus*. 40(2): 68., available online at <https://www.biodiversitylibrary.org/page/8523201> [details]

additional source Orton, J. H. (1927). Is the American slipper-limpet (*Crepidula fornicata*) an oyster pest?. *The Nautilus*. 40(3): 102-103., available online at <https://www.biodiversitylibrary.org/page/8523237> [details]

ecology source Looby, A.; Erbe, C.; Bravo, S.; Cox, K.; Davies, H.L.; Di Iorio, L.; Jézéque, Y.; Juanes, F.; Martin, C.W.; Mooney, T.A.; Radford, C.; Reynolds, L.K.; Rice, A.N.; Riera, A.; Rountree, R.; Sprie, B.; Stanley, J.; Vela, S.; Parsons, M.J.G. *Underwater Soniferous Behavior Trait Provided in the World Register of Marine Species*. (In preparation). [details]

Last update: 25 May. 2019