

Seirospora interrupta (Smith) F.Schmitz, 1893

AphiaID: 144697

.

Biota (Superdomínio) > Plantae (Reino) > Biliphyta (Subreino) > Rhodophyta (Filo) > Eurhodophytina (Subdivisao) > Florideophyceae (Classe) > Rhodymeniophycidae (Subclasse) > Ceramiales (Ordem) > Callithamniaceae (Familia) > Euptiloteae (Tribo) > Seirospora (Genero)

Sinónimos

Seirospora seirosperma (Harvey) P.S.Dixon, 1964

Referências

additional source Guiry, M.D. & Guiry, G.M. (2019). AlgaeBase. World-wide electronic publication, National University of Ireland, Galway. , available online at <http://www.algaebase.org> [details]

additional source Integrated Taxonomic Information System (ITIS). , available online at <http://www.itis.gov> [details]

basis of record Guiry, M.D. (2001). Macroalgae of Rhodophycota, Phaeophycota, Chlorophycota, and two genera of Xanthophycota, in: Costello, M.J. et al. (Ed.) (2001). European register of marine species: a check-list of the marine species in Europe and a bibliography of guides to their identification. Collection Patrimoines Naturels, 50: pp. 20-38 [details]

additional source Sears, J.R. (ed.). 1998. NEAS keys to the benthic marine algae of the northeastern coast of North America from Long Island Sound to the Strait of Belle Isle. Northeast Algal Society. 163 p. [details]

additional source Dyntaxa. (2013). Swedish Taxonomic Database. Accessed at www.dyntaxa.se [15-01-2013]., available online at <http://www.dyntaxa.se> [details]

Última atualização: 23 Jul. 2019