

Anthopleura krebsi Duchassaing & Michelotti, 1860

AphiaID: 283359

ANÉMONA-DO-MAR

Biota (Superdominio) > Animalia (Reino) > Cnidaria (Filo) > Anthozoa (Classe) > Hexacorallia (Subclasse) > Actiniaria (Ordem) > Enthemonae (Subordem) > Actinioidea (Superfamilia) > Actiniidae (Familia) > Anthopleura (Genero)

Sinónimos

Anthopleura carneola (Verrill, 1905)

Anthopleura kerbsi

Anthopleura krebsii

Bunodactis stelloides var. *carneola* Verrill, 1907

Bunodes krebsii (Duchassaing & Michelotti, 1860)

Referências

additional source Fautin, Daphne G. (2013). Hexacorallians of the World., available online at <http://hercules.kgs.ku.edu/Hexacoral/Anemone2/> [details]

basis of record den Hartog, J. C. & van der Land, J. (2000-2007). As a contribution to UNESCO-IOC Register of Marine Organisms. [details]

additional source Fautin, D. G.; Daly, M. (2009). Actiniaria, Corallimorpharia, and Zoanthidea (Cnidaria) of the Gulf of Mexico, Pp. 349-357. in: Felder, D.L. and D.K. Camp (eds.), Gulf of Mexico-Origins, Waters, and Biota. Biodiversity. A&M University Press, College Station, Texas., available online at <http://biogomx.net/sites/default/files/pdfs/chapters/15-Fautin%20and%20Daly%202009-Actinians%20of%20the%20GoMx.pdf> [details]

additional source Britton, J.C. & B. Morton, 1989. Shore ecology of the Gulf of Mexico : i-viii, 1-387. [details]

original description Duchassaing P, Michelotti J. (1860). Mémoire sur les coralliaires des Antilles. Mémoires de l'Academie des Sciences de Turin, séries 2. 19: 279-365, pls 1-10., available online at <https://www.biodiversitylibrary.org/page/12140332> [details]

additional source Duchassaing P, Michelotti J. (1860). Mémoire sur les coralliaires des Antilles.

Mémoires de l'Académie des Sciences de Turin, séries 2. 19: 279-365, pls 1-10., available online at <https://www.biodiversitylibrary.org/page/12140332> [details]

additional source Carlgren, O.; Hedgepeth, J. W. A. (1952). Actinaria, Zoantharia, and Ceriantharia from shallow water in the northwestern Gulf of Mexico. Publications of the Institute of Marine Science. 2, 141-172. [details]

additional source Fautin, D. G. (2005). Three Species of Intertidal Sea Anemones (Anthozoa: Actiniidae) from the Tropical Pacific: Description of *Anthopleura buddemeieri*, n. sp., with Remarks on *Anthopleura asiatica* and *Gyractis sesere*. Pacific Science. 59(3): 379-391., available online at <https://doi.org/10.1353/psc.2005.0035> [details]

additional source Carlgren, O. (1949). A survey of the Ptychodactylaria, Corallimorpharia and Actiniaria. Kungliga Svenska Vetenskapsakademiens Handlingar. 1: 1-121. [details]

additional source den Hartog, J. C. (1987). A redescription of the sea anemone *Bunodosoma biscayensis* (Fischer, 1874) (Actiniaria, Actiniidae). Zoologische Mededelingen, Leiden, 61(36): 533-559 [details]

additional source Hedgepeth, J. W. (1954). Anthozoa: the anemones. Fisheries Bulletin of the Fish and Wildlife Service (U.S.), 55 (Gulf of Mexico: Its Origin, Waters, and Marine Life), 285-290 [details]

additional source Belém, M. J. D.; Pinto, S. M. (1990). Morphological and microanatomical study of *Anthopleura krebsi* Duchassaing & Michelotti, 1860 (Cnidaria, Anthozoa, Actiniidae), a new record in Brazil. Anais da Academia Brasileira de Ciências (Rio de Janeiro), 62(2): 183-192 [details]

additional source England, K. W. (1987). Certain Actiniaria (Cnidaria, Anthozoa) from the Red Sea and tropical Indo-Pacific Ocean. Bulletin of the British Museum (Natural History), 53(4): 205-292 [details]

additional source McMurrich, J. P. (1901). Report on the Hexactiniæ of the Columbia University Expedition to Puget Sound during the summer of 1896. Annals of the New York Academy of Sciences, 14(1): 1-52 [details]

additional source Braga Gomes, P.; Belém, M. J. D.; Schlenz, E. (1998). Distribution, abundance and adaptations of three species of Actiniidae (Cnidaria, Actiniaria) on an intertidal beach rock in Carneiros beach, Pernambuco, Brazil. Senckenbergische Naturforschenden Gesellschaft, 21(2): 65-72 [details]

additional source Herrera Moreno, A. (1981). Nuevos registros de anémonas (Coelenterata: Actiniaria y Corallimorpharia) para aguas cubanas. Poeyana: Instituto de Zoología, Academia de Ciencias de Cuba, (214): 1-3 [details]

additional source Zamponi, M. O.; Belém, M. J. D.; Schlenz, E.; Acuña, F. H. (1998). Distribution and some ecological aspects of Corallimorpharia and Actiniaria from shallow waters of the South American Atlantic coasts. Physis (Buenos Aires), 55, 31-45 [details]

additional source Daly, M. (2003). The anatomy, terminology, and homology of acrorhagi and pseudoacrorhagi in sea anemones. Zoologische Verhandlungen, 345, 89-101 [details]

additional source Gunter, G.; Geyer, R. A. (1955). Studies on fouling organisms of the northwest Gulf of

Mexico. Publications of the Institute of Marine Science (University of Texas), 4(1): 38-67 [\[details\]](#)

additional source Bigger, C. H. (1980). Interspecific and intraspecific acrorhagial aggressive behavior among sea anemones: a recognition of self and not-self. Biological Bulletin, 159, 117-134 [\[details\]](#)

additional source Bigger, C. H. (1982). The cellular basis of the aggressive acrorhagial response of sea anemones. Journal of Morphology, 173, 259-278 [\[details\]](#)

additional source Daly, M.; den Hartog, J. C. (2004). Taxonomy, circumscription, and usage in Anthopleura (Cnidaria: Anthozoa: Actiniaria) from the Gulf of Mexico and the Caribbean. Bulletin of Marine Science, 74(2): 401-421 [\[details\]](#)

additional source Daly, M.; Chaudhuri, A.; Gusmão, L.; Rodríguez, E. (2008). Phylogenetic relationships among sea anemones (Cnidaria: Anthozoa: Actiniaria). Molecular Phylogenetics and Evolution, 48, 292-301 [\[details\]](#)

additional source Braga Gomes, P.; Zamponi, M. O.; Solé-Cava, A. M. (2003). Asexual reproduction and molecular systematics of the sea anemone Anthopleura krebsi (Actiniaria: Actiniidae). Revista de Biologia Tropical, 51, 1, 147-154 [\[details\]](#)

additional source Daly, M.; Gusmão, L.; Reft, A. J.; Rodríguez, E. (2010). Phylogenetic signal in mitochondrial and nuclear markers in sea anemones (Cnidaria, Actiniaria). Integrative and Comparative Biology, 50(3): 371-388 [\[details\]](#)

additional source Fautin, D. G.; Zelenchuk, T.; Raveendran, D. (2007). Genera of orders Actiniaria and Corallimorpharia (Cnidaria, Anthozoa, Hexacorallia), and their type species. Zootaxa, 1668, 183-244 [\[details\]](#)

additional source Corrêa, D. D. (1964). Corallimorpharia e Actiniaria do Atlantico Oeste Tropical. Universidade de São Paulo (Dissertation). São Paulo., pp. 139. [\[details\]](#)

additional source Amaral, F. D.; Ramos, C. A. C.; Leão, Z. M. A. N.; Kikuchi, R. K. P.; Lima, K. K. M.; Longo, L.; Cordeiro, R. T. S.; Lira, S. M. A.; Vasconcelos, S. L. (2009). Checklist and morphometry of benthic cnidarians from the Fernando de Noronha Archipelago, Brazil. Cahiers de Biologie Marine, 50, 277-290 [\[details\]](#)

additional source Pires, D. de Oliveira; Castro, C. B.; Migotto, Á. E.; Marques, A. C. (1992). Cnidários bentônicos do Arquipélago de Fernando de Noronha, Brasil. Boletim do Museu Nacional (Rio de Janeiro), N.S., (354): 1-21 [\[details\]](#)

Última atualização: 19 Fev. 2020