

Hecatonema terminale (Kützinger) Kylin, 1937

AphiaID: 145341

Biota (Superdomínio) > Chromista (Reino) > Harosa (Subreino) > Heterokonta (Infrareino) > Ochrophyta (Filo) > Phaeophyceae (Classe) > Fucophycidae (Subclasse) > Ectocarpales (Ordem) > Chordariaceae (Família) > Hecatonema (Gênero)

Sinónimos

Ascocyclus major Foslie, 1891
Ectocarpus terminalis Kützinger, 1845
Hecatonema maculans (F.S.Collins) Sauvageau, 1897
Myrionema majus Foslie, 1894
Phycocelis maculans Collins, 1896

Referências

additional source Guiry, M.D. & Guiry, G.M. (2018). AlgaeBase. World-wide electronic publication, National University of Ireland, Galway. , available online at <http://www.algaebase.org> [details]

basis of record Guiry, M.D. (2001). Macroalgae of Rhodophycota, Phaeophycota, Chlorophycota, and two genera of Xanthophycota, in: Costello, M.J. et al. (Ed.) (2001). European register of marine species: a check-list of the marine species in Europe and a bibliography of guides to their identification. Collection Patrimoines Naturels, 50: pp. 20-38 [details]

additional source Sears, J.R. (ed.). 1998. NEAS keys to the benthic marine algae of the northeastern coast of North America from Long Island Sound to the Strait of Belle Isle. Northeast Algal Society. 163 p. [details]

additional source Dyntaxa. (2013). Swedish Taxonomic Database. Accessed at www.dyntaxa.se [15-01-2013]., available online at <http://www.dyntaxa.se> [details]

Última atualização: 15 Jul. 2017