


Gastrosaccus sanctus (Van Beneden, 1861)

AphiaID: 120019

Biota (Superdominio) > Gastrosaccinae (Subfamilia) > Gastrosaccini (Tribo) > Gastrosaccus (Genero)

Conservation status and major threats



Synonyms

Gastrosaccus sanctus sanctus (Van Beneden, 1861)

Mysis sancta Van Beneden, 1861

Pontomysis caucasia Czerniavsky, 1882

Pontomysis caucasica Czerniavsky, 1882

Pontomysis widhalmi Czerniavsky, 1882

References

additional source Hayward, P.J.; Ryland, J.S. (Ed.). (1990). The marine fauna of the British Isles and North-West Europe: 1. Introduction and protozoans to arthropods. Clarendon Press: Oxford, UK. ISBN 0-19-857356-1. 627 pp. [\[details\]](#)

additional source Norman, A.M. 1868. Shetland Final Dredging Report. Part II. On the Crustacea, Tunicata, Polyzoa, Echinodermata, Actinozoa, Hydrozoa, and Porifera. Reports of the British Association for the Advancement of Science 38: 247-336 (1868)., available online at <http://www.biodiversitylibrary.org/item/93116#page/341/mode/1up> [\[details\]](#)

basis of record van der Land, J.; Brattegard, T. (2001). Mysidacea, in: Costello, M.J. et al. (Ed.) (2001).

European register of marine species: a check-list of the marine species in Europe and a bibliography of guides to their identification. Collection Patrimoines Naturels, 50: pp. 293-295 [\[details\]](#)

additional source BROWN, A.C. & M.S. TALBOT (1972): The ecology of the sandy beaches of the Cape Peninsula, South Africa, Part 3: a study of *Gastrosaccus psammodytes* Tattersall (Crustacea: Mysidacea). – Trans.R.Soc.S. Afr.,40 (4): 309-333 [\[details\]](#)

additional source Hanamura, Y.; Kase, T. (2002). Marine cave mysids of the genus *Palaumysis* (Crustacea: Mysidacea), with a description of a new species from the Philippines. Journal of Natural History. 36: 253-263. [\[details\]](#)

additional source Price, W. (2001). World list of Mysidacea. [\[details\]](#)

additional source Müller, H. G. (1993). World catalogue and bibliography of the recent Mysidacea. 238p. [\[details\]](#)

additional source Norman, A.M. 1892 . On British Mysidae, a family of Crustacea Schizopoda. – Ann. Mag. nat. Hist., ser. 6, 10: 143-166, 242-263, 2pls, available online at <http://www.biodiversitylibrary.org/item/88260#page/157/mode/1up> [\[details\]](#)

additional source Bacescu, M. (1973). New mysids from the littoral east African waters: *Haplostylus estafricana* n.sp. and *Anisomysis ijimai estafricana* n.ssp.. Revue Roumaine de Biologie – Zoologie 18 (5) : 317-324 [\[details\]](#)

additional source BACESCU, M. (1975). Contributions to the knowledge of the mysids (Crustacea) from the Tanzanian waters. Univ. Sci. J. (Dar. Univ.), 1 (2): 39-61. [\[details\]](#)

additional source Tattersall, O.S. (1952). Report on a small collection of Mysidacea from estuarine waters of South Africa. Transactions of the Royal Society of South Africa 33(2): 153-187 [\[details\]](#)

additional source Tattersall, O.S. (1957). Report on a small collection of Mysidacea from the Sierra Leone estuary together with a survey of the genus *Rhopalophthalmus* Illig and a description of a new species of *Tenagomysis* from Lagos, Nigeria. Proceedings of the Royal Society London. 129: 81-128. [\[details\]](#)

redescription Tattersall, O.S. (1957). Report on a small collection of Mysidacea from the Sierra Leone estuary together with a survey of the genus *Rhopalophthalmus* Illig and a description of a new species of *Tenagomysis* from Lagos, Nigeria. Proceedings of the Royal Society London. 129: 81-128. [\[details\]](#)

additional source Wooldridge, T. H. (1978). Two new species of *Gastrosaccus* (Crustacea, Mysidacea) from sandy beaches in Transkei. Annals of the South African Museum. 76(9): 309-327. [\[details\]](#)

additional source Wooldridge, T. H. (1981). Zonation and distribution of the beach mysid, *Gastrosaccus psammodytes* (Crustacea: Mysidacea). Journal of zoology. 193: 183-189. [\[details\]](#)

additional source Wooldridge, T. H.; Mees, J. (2000). *Doxomysis algoensis*, a new mysid species (Crustacea, Mysidacea) from Algoa Bay (South Africa). Hydrobiologia. 421: 61-68. [\[details\]](#)

additional source Zimmer, C. (1933). Mysidacea. In: Grimpe, G. & E. Wagler, (eds.), Die Tierwelt der

Nord- und Ostsee. Leipzig, Akad. Verlagsbuchhandl. 23 (10): 26-69. [\[details\]](#)

additional source Muller, Y. (2004). Faune et flore du littoral du Nord, du Pas-de-Calais et de la Belgique: inventaire. [Coastal fauna and flora of the Nord, Pas-de-Calais and Belgium: inventory]. Commission Régionale de Biologie Région Nord Pas-de-Calais: France. 307 pp., available online at <http://www.vliz.be/imisdocs/publications/145561.pdf> [\[details\]](#)

additional source Derzhavin, A. N. (1925). Materials of the Ponto-Azoph carcinofauna (Mysidacea, Cumacea, Amphipoda). Russ. hydrobiol. Z. 4: 10-35 [in Russ.]. [\[details\]](#)

additional source Kossmann, R. (1880). Malacostraca, (2 Theil Anomura). In: Zoologische Ergebnisse einer Reise in die Küsten-Gebiete des Rothen Meeres. Leipzig, W. Engelmann. 2 (1): 67-140. [\[details\]](#)

additional source Carus, J. V. (1885). Arthropoda. 3. Subordo. Schizopoda. In: Prodrum faunae Mediterranae. Stuttgart, E. Schweizerbart'sche Verlagsbuchhandl. 1: 465-469. [\[details\]](#)

additional source Czerniavsky, V. (1882). Monographia Mysidarum inprimis Imperii Rossici. Fasc. 1, 2. Trudy St.-Petersburgsko Obsch. Est. 12: 1-170; 13: 1-85, 4 pls. [\[details\]](#)

redescription Mauchline, J.; Murano, M. (1977). World list of the Mysidacea, Crustacea. J. Tokyo Univ. Fish. 64 (1): 39-88. [\[details\]](#)

additional source Step, E. (1896). A list of British stalk-eyed Crustacea, compiled for the use of readers of Bell's "History of British stalk-eyed Crustacea". Abstr. Proc. Sth. London Ent. Nat. Hist. Soc. 1895: 92-9. [\[details\]](#)

redescription Tattersall, O. S. (1955). Mysidacea. Discovery Rep. 28: 1-190. [\[details\]](#)

additional source Tattersall, O. S. (1961). Mysidacea from the coasts of tropical West Africa. Atlantide Reports. 6: 143-159. [\[details\]](#)

additional source Tattersall, W. M. (1912). Clare Island survey. Pt. 41. Nebaliacea, Cumacea, Schizopoda and Stomatopoda. Proc. Roy. Irish Acad. 31: 1-10. [\[details\]](#)

additional source Tattersall, W. M. (1951). A review of the Mysidacea of the United States National Museum. Smiths. Inst. U.S. Natn. Mus. Bull. 201: 1-292. [\[details\]](#)

redescription Tattersall, W. M. (1951). A review of the Mysidacea of the United States National Museum. Smiths. Inst. U.S. Natn. Mus. Bull. 201: 1-292. [\[details\]](#)

additional source Nouvel, H. (1943). Mysidacés provenant des campagnes du Prince-Albert 1er de Monaco. In: Richard, J., Résultats des campagnes scientifiques accomplies sur son yacht par Albert 1er. Monaco. fasc.105,372268, 5pls. [\[details\]](#)

additional source Tattersall, W.M. (1908): The Schizopoda and Isopoda collected by the J. Mar. Biol. Ass. U.K., new ser., 8: 189-196 [\[details\]](#)

additional source Zimmer C. (1909): Die nordischen Schizopoden. K. Brandt & C. Apstein (eds.), Nordisches Plankton. Lipsius und Tischler, Kiel und Leipzig, 6: 1-178 [\[details\]](#)

additional source Norman, A.M. & T. Scott (1906): Mysidacea. In: The Crustacea of Devon and Cornwall. London, W. Wesley and Son, pp. 23-28 [\[details\]](#)

redescription Bacescu, M. (1970). Contributions à l'étude morphoécologique des Gastrosaccinae (Crustacea, Mysidacea) du versant est de l'Atlantique et de la Méditerranée. Description de *G. mediterraneus* n.sp., *G. olivae* n.sp. et *G. roscoffensis* n.sp. Revue Roumaine de Biologie. Serie de Zoologie. 15: 217-234. [\[details\]](#)

additional source GARSTANG, W. (1894): Faunistic notes at Plymouth during 1893-1984. – J. Mar. Biol. Ass. Plymouth, new ser., 3: 210-235 [\[details\]](#)

redescription Katagan, T. (1985). Mysidaces et cumaces des cotes Egeennes de Turquie. Rapp. P.-v. Réunion. Comm. int. Explor. sci. Mer. Medit. 29 (5): 287-288. [\[details\]](#)

redescription Makings, P. (1977). A guide to British coastal Mysidacea. Field Studies. 4: 575-595. [\[details\]](#)

additional source Ariani, A.P.; Spagnuolo, G. (1975). Ricerche sulla misidofauna del Parco di Santa Maria di Castellabate (Salerno) con descrizione di una nuova specie di *Siriella*. Boll. Soc. Nat. Napoli. 84: 441-481, 3 pls., 4 tabs. [\[details\]](#)

additional source Meinert, F. (1880). Crustacea Isopoda, Amphipoda et Decapoda Daniae: Forteguelse over Danmarks isopode, amphipode og decapode krebsdyr. Naturhist. Tidsskr. Copenhagen, ser. 3. 12 (3): 465-512. [\[details\]](#)

ecology source Metzger, A. (1875). Crustaceen, In: Bericht über die Untersuchungs-Fahrt der Pommerania. Berlin. pp. 277-309, 1 pl. [\[details\]](#)

identification resource Schlacher, T. A.; Wittmann, K. J.; Ariani, A. P. (1992). Comparative morphology and actuopalaeontology of mysid statoliths (Crustacea, Mysidacea). Zoomorphology. 112: 67-79. [\[details\]](#)

additional source Sars, G.O. (1877). Nye Bidrag til Kundskaben om Middelhavets Invertebratfauna I. Middelhavets Mysider. Arch. Math. Naturvidenskaberne. 2: 10-119, 36pls. [\[details\]](#)

redescription Moran, S. (1972). Ecology of distribution of the sand-dwelling mysid *Gastrosaccus sanctus* (van Beneden, 1861) along the Mediterranean sandy shore of Israel. Crustaceana supplement. 3: 357-361. [\[details\]](#)

redescription Gordan, J. (1957). A bibliography of the order Mysidacea. Bull. Am. Mus. Nat. Hist. 112 (4): 281-393. [\[details\]](#)

additional source Calman, W. T. (1901). A catalogue of Crustacea and of Pycnogonida contained in the Museum of the University College, Dundee. Dundee, Univ. St. Andrews, v + 56pp. [\[details\]](#)

additional source Bacescu, M. (1934). Contributions à l'étude des mysidés de la Mer Noire ainsi que des limans et des lacs en relation avec la mer ou avec la Danube. Ann. Sci. Univ. Jassy. 19: 331-338. [\[details\]](#)

additional source Bacescu, M. (1940). Les Mysidacés des eaux Roumaines (Étude taxonomique, morphologique, bio-géographique et biologique). Ann. Sci. Univ. Jassy. 26: 453-804, 4 pls. [\[details\]](#)

redescription Ariani, A. P. (1967). Osservazioni su Misidacei della costa adriatica pugliese. Ann. Ist. Mus. Zool. Univ. Napoli. 18 (5): 51-38, pls. I-III. [\[details\]](#)

additional source Wittmann, K.J. (2001). Centennial changes in the near-shore mysid fauna of the Gulf of Naples (Mediterranean Sea), with description of *Heteromysis riedli* sp. n. (Crustacea, Mysidacea). Marine Ecology. 22(1-2): 85-109. [\[details\]](#)

additional source Tesch, J.J. 1910. Bijdragen tot de fauna der Zuidelijke Noordzee. VI. Schizopoda verzameld met de "Wotan".- Jaarboek van het Rijksinstituut voor het Onderzoek der Zee 1910: 33-81. [\[details\]](#)

additional source Sowinsky, V.K. (1904). Vvedenie v izuchenie fauny Ponto-Kaspiisko-Aralyskago Morskogo Basseina, razematrivaemoiego tochki erienija eamoetoja telynoi zoo-geograficheskoi provincie [Introduction à l'étude de la faune du bassin marin Ponto-Aralo-Kaspien sous le point de vue d'une province zoo-géographique indépendante]. Zapiski Kievskago Obshchestva Estestvoispytatelei = Mémoires de la Société des Naturalistes de Kieff. 8 (1): i-xiii, 1-487, 1-216 (4 plates). [\[details\]](#)

additional source SOWINSKY, W. (1894). Les crustacés de la mer d'Azow. - Mém. Soc. Nat. Kiew, 13: 289-405 [\[details\]](#)

additional source Nouvel, H. (1949). Mysidacea. In: Jespersen, P., & F.S. Russell (eds.), Fiches d'Identification du Zooplankton. Copenhagen. Conseil Permanent International pour l'Exploration de la Mer. [\[details\]](#)

additional source Monod, T. 1933. Sur quelques crustacées de l'Afrique occidentale.- Bull. Comité Études Hist. Sci. Afrique Occidentale Française 15: 456-548. [\[details\]](#)

additional source Künne, C. 1939. Beiträge zur Kenntnis der Mysideenfauna der südlichen Nordsee.- Zoologische Jahrbücher. Abteilung für Systematik, Ökologie und Geographie der Tiere 72: 329-358. [\[details\]](#)

additional source Hoek, P.P.C. 1887. Elfde jaarsverslag omtrent het Zoologische Station der Nederlandsche Dierk. Ver., ser. 2, 1: 158-174. [\[details\]](#)

additional source Fishelson, L.; Loya, Y. (1968). Preliminary observations on a population of *Gastrosaccus sanctus* (Van Beneden) (Mysidacea, Gastrosaccinae) on a Mediterranean sand beach of Israel. Crustaceana. 15: 149-152. [\[details\]](#)

redescription Bacescu, M. (1954). Mysidacea. In: Fauna Republicii Populare Romîne, Crustacea, IV (3). Academia Republicii Populare Romîne, Bucuresti. Pages 1-126. [\[details\]](#)

additional source Garstang, W., 1892. Notes on the marine invertebrate fauna of Plymouth for 1892. J. mar. biol. Ass. U.K., n. ser. 2 4: 333-339. [\[details\]](#)

original description Norman, A. M. (1868). Preliminary report on the Crustacea, Moluscoida,

Echinodermata, and Coelenterata, procured by the Shetland dredging Committee in 1867. Report of the British Association for the Advancement of Science. 37: 437-441. [\[details\]](#)

additional source Brandt, A.; Mühlenhardt-siegel, U.; Siegel, V. (1998). An account of the Mysidacea (Crustacea, Malacostraca) of the Southern Ocean. Antarctic Science. 10(1): 3-11. [\[details\]](#)

original description Van Beneden, P.J. (1861). Recherches sur les Crustacés du littoral de Belgique. Mém. Acad. r. Sci. Lett. Belg. 33:1-180, pls. 1-31. [\[details\]](#)

additional source Tattersall, O.S. 1955. Mysidacea.- Discovery Reports 28: 1-190, 46 figs. [\[details\]](#)

additional source Meinert F. (1877). Crustacea Isopoda, Amphipoda et Decapoda Daniae: fortegnelse over Danmarks isopode, amphipode og decapode krebsdyr. Naturhistorisk Tidsskrift, 1-248. [\[details\]](#)

additional source Bygrave W. (1911). Report on the plankton of the English Channel in 1906. Marine Biological Association of the United Kingdom, International Fisheries Investigation, 3rd report, pp. 236-267. [\[details\]](#)

additional source Wooldridge, T. H.; Mees, J. (2011 onwards). World List of the Mysidacea. [\[details\]](#)

additional source Wells, A.L. (1938). Some notes on the plankton of the Thames Estuary. Journal of Animal Ecology 7:105-124, figs. 1-4. (v-1938) [\[details\]](#)

additional source Allen, E. J. (1931). Plymouth marine fauna. 2nd ed. Plymouth Mar. Biol. Ass. U.K. 1-371. [\[details\]](#)

additional source Norman A.M. (1907). Notes on the Crustacea of the Channel Islands. Annals and Magazine of Natural History, (Ser. 7) 20, pp. 356-371;pls. 16-17. [\[details\]](#)

additional source Suau, P., & F. Vives. 1957. Sobre la presencia de *Gastrosaccus sanctus* (Van Beneden) en la desembocadura del río Ebro.- Investigación Pesquera 8: 121-126 (in Spanish with summary in English). [\[details\]](#)

additional source SUTHERLAND, D. & CLOSS, G.P. (2001). Diel patterns of mysid drift (Crustacea: Mysidacea) in the Taieri River estuary, New Zealand New Zealand Journal of Marine and Freshwater Research 35: 197-200 [\[details\]](#)

additional source SUTHERLAND, D. (1999). The drift community of an estuarine river system with focus on the ecology of an undescribed *Gastrosaccus* species (Mysidacea: Mysidae) Thesis [\[details\]](#)

additional source TATTERSALL, O.S. (1957). Discovery reports issued by the national Institute of Oceanography Cambridge University press volume XXVII [\[details\]](#)

redescription TATTERSALL, O.S. (1961). Report on some Mysidacea from the deeper waters of the Ross Sea. - Proc. zool. Soc. London, 137: 553-571 [\[details\]](#)

ecology source Southern, R. (1915). Marine ecology, Clare Island survey. Proc. Roy. Irish Acad., 31 (67): 1-110, 3 pls. [\[details\]](#)

additional source SOWINSKY, W. (1895). Les crustacés malacostragues réunis par deux expéditions pour les explorations des profondeurs de la Mer Noire, en 1890-1891. Kiev [\[details\]](#)

additional source Pauli, V.L. 1957. Key for identification of Mysids of the Black Sea and Azov Basin.- Trudy Osoboi Zoologicheskoi Laboratorii i Sevastopol'skoi Biologicheskoi Stantsii = Travaux du Laboratoire Zoologique et de la Station Biologique de Sébastopol 9: 113-116. [\[details\]](#)

additional source PATIENCE, A. (1910). Carcinological notes. I. - Trans. Buteshire Nat. Hist. Soc., 3: 69-79, 2 pls [\[details\]](#)

additional source NOUVEL, H. (1973). Observations sur les mysidacés et quelques cumaces littoraux de la côte française du Golfe de Gascogne au sud de l'embouchure de la Gironde. - Bull. Centre d'Etud. Rech.Sci., Biarritz, 9, 140.5127-140 [\[details\]](#)

additional source MOORE, H.B. (1937). Marine fauna of the Isle of Man. - Proc. Trans. Liverpool Biol. Soc., 50: 1-293 [\[details\]](#)

additional source MORDUKHAY-BOLTOVSKOY, E.D. (1960). Kaspiiskaia fauna v Azovo-Cernomorskom basseine. Ed. A. N. SSSR, Moskva, 287pp [\[details\]](#)

additional source MCLACHLAN, A. (1983). Sandy beach ecology - A review In: McLachlan, A. & Erasmus, T. (eds.). Sandy beaches as ecosystems. Dr W. Junk Publishers, The Hague, 757 P.; 321-80. : [\[details\]](#)

additional source Mees, J.; Jones, M. B. (1997). The hyperbenthos. Oceanography and marine Biology: an annual review. 35: 221-255. [\[details\]](#)

additional source MARSHALL, S.; ELLIOTT, M. (1997). A comparison of univariate and multivariate numerical and graphical techniques for determining inter- and intraspecific feeding relationships in estuarine fish Journal of Fish Biology 51 3: 526-545 [\[details\]](#)

additional source MASSY, A.L. (1912). Report of a survey of trawling grounds on the coasts of counties Down, Louth, Meath and Dublin. Pt. III. Invertebrate fauna. Sci. Inv. 1911, Dept. Agr. Tech. Instr. Ireland, Fish.Branch, pp. 1-22 [\[details\]](#)

additional source MAUCHLINE, J. (1971). Rare species of Mysidacea (Crustacea) from the west coast of Scotland. - J. mar. biol. Ass. U.K., 51: 799-808 [\[details\]](#)

additional source MAUCHLINE, J. (1971). The fauna of the Clyde sea area. Crustacea: Mysidacea, with a key to the species. In H.T. Powell (ed.), The Fauna of the Clyde Sea Area. Scott. mar. biol. Ass., Oban: 26pp [\[details\]](#)

additional source LE SEUR, R.F. (1954). The Cumacea, Mysidacea, Amphipoda, Isopoda and Tanaidacea of the Channel Islands. - Bull. Soc. Jersiaise, 16 (11): 207-216 [\[details\]](#)

ecology source Künne, C. 1937. Über die Verbreitung der Leitformen des Grossplanktons in der südlichen Nordsee im Winter.- Wissenschaftliche Meeresuntersuchungen Herausgegeben von der Kommission zur Wissenschaftlichen Untersuchung der Deutschen Meere in Kiel und der Biologischen Anstalt auf Helgoland, new ser. [\[details\]](#)

additional source LAGARDERE, J.P. & H. NOUVEL (1980). Les mysidacés du talus continental du golfe de Gascogne. 2. Familles des Lophogastridae, Eucopiidae et Mysidae (tribu des Erythropini exceptée). – Bull.Mus. natn.Hist. nat. Paris (Zool., Biol., Ecol. anim.), 2 (3): 845-887 [\[details\]](#)

additional source Kramp, P.L. 1913. Schizopoda. In: Ostenfeld, C.H. (ed.), Résumé des observations sur le plankton des mers explorées par le Conseil pendant les années 1902-1908. 3. parte. Copenhagen, A.F. Høst & Son, pp. 539-556. [\[details\]](#)

additional source KOEHLER, R. (1885). Contributions à l'étude de la faune littorale des îles anglo-normandes. – Ann. Sci. Nat., Paris, ser. 6, vol. 20: 1-62, 1 pl [\[details\]](#)

additional source Hoenigman, J. (1961). Sur quelques espèces nouvelles pour l'Adriatique. Rapports et Procès-Verbaux des Réunions (International Commission for the Scientific Exploration of the Mediterranean Sea). 16: 217-218. [\[details\]](#)

additional source HOENIGMAN, J. (1964). Gastrosaccus sanctus (Van Beneden) (Crust. Mysidaces) et sa relation possible avec la genese de l'Adriatique. – Acta adriat., 11: 135-143 [\[details\]](#)

ecology source Hardy, A.C. (1924). The herring in relation to its animate environment. Part I. The food and feeding habits of the herring with special reference to the East coast of England. Fishery Investigations, London (2)7(3):1-53, figs. 1-21, tabs. A-I, appendix A-B. [\[details\]](#)

additional source Gough, L.H. (1905). Report on the plankton of the English Channel in 1903. In: Report on fishery and hydrographic investigations in the North Sea, southern area, Reports of the North Sea Fish. Invest. Comm. 1902/03 2:325-377, figs. 1-7, charts 1-16. [\[details\]](#)

additional source Giard, A. (1888). Le laboratoire de Wimereux en 1888 (Recherches faunistiques). Bulletin Scientifique de la France et de la Belgique. 19(3): 492-513. [\[details\]](#)

additional source FURNESTIN, M.L. (1959). Mysidacés du plancton marocain. – Rev. Tray. Inst. (scient. tech.) Pêche merit., 23: 297-316 [\[details\]](#)

ecology source FAGE, L. & R. LEGENDRE (1923). Essais de pêche à la lumière dans la baie de Concarneau. – Bull. Inst. Océanogr. Monaco, 431: 1-20 [\[details\]](#)

additional source FAGE, L. (1935). Pêches planctonique à la lumière effectuées à Banyuls-sur-Mer et à Concarneau. III. Crustacés. – Arch. Zool. Exp. Gén., 76: 105-248 [\[details\]](#)

additional source Dörjes, J.; Michaelis, H.; Rhode, B. (1986). Long-term studies of macrozoobenthos in intertidal and shallow subtidal habitats near the islands of Norderney (East Frisian coast, Germany). Hydrobiologia. 142: 217-232. [\[details\]](#)

additional source DEDIU, I.I. (1967). Genesis of the fauna of amphipods and mysids of the Dnestr and Prut river basins. – Zool. Zh., 46: 495-500 [\[details\]](#)

ecology source DEDIU, I.I. (1966). Répartition et caractéristique écologique des mysides des bassins des rivières Dniestr et Pruth. – Rev. roum. Biol. (Zool.), 11: 233-239. [ecology [\[details\]](#)

additional source COLOSI, G. (1929). I Misidacei del Golfo di Napoli. Pubbl. Staz. Zool. Napoli, 29:

405-441 [\[details\]](#)

additional source BRANDT, A., U. SIEGEL & V. SIEGEL (1998). An account of the Mysidacea (Crustacea, Malacostraca) of the Southern Ocean . Antarctic Science. 10:3-11. [\[details\]](#)

additional source Bacescu, M. (1949). Données sur la faune carcinologique de la Mer Noire de long de la côte Bulgare. Travaux Station Biologique Maritime de Varna (Bulgarie). 14 (1948): 1-24 (in French). [\[details\]](#)

redescription Bacescu, M. (1941). Les Mysidacés des eaux méditerranéennes de la France (spécialement de Banyuls) et des eaux de Monaco. Bull. Inst. Océanogr. 795: 1-46. [\[details\]](#)

additional source Pora, E., & M. Bacescu. 1938. Sur la résistance du Myside Gastrosaccus sanctus (Van Beneden) de la Mer Noire, aux variations de salinité du Milieu ambiant.- Annales Scientifiques de l'Université de Jassy. 2. Ptie., Sciences Naturelles 25 (1): 259-271. [\[details\]](#)

additional source Gough, L.H. (1906). Plankton collected at Irish light stations in 1904. Scientific Investigations of the Fisheries Branch of Ireland 1904(6):3-55, appendix 6:227-279. [\[details\]](#)

additional source HERMAN, J. (1969). Aasgarnalen - (Mysidacea) Tabellenserie van de strandwerkgemaenschap, koninklijke Nederlandse Natuurhistorische vereniging, Nederlandse jeugdbond voor natuurstudie & de Christelijke jeugdbond van Natuurvrienden; 23 [\[details\]](#)

additional source HOLT, E.W.L. & W.I. BEAUMONT (1900). Survey of fishing-grounds, west coast of Ireland, 1890-1891. X. Report on the Crustacea Schizopoda of Ireland. - Sci. Trans. r. Dublin Soc.,N.S., 7: 223692352,1pl [\[details\]](#)

additional source Hanamura, Y. 1999. Seasonal abundance and life cycle of Archaeomysis articulata (Crustacea: Mysidacea) on a sandy beach of western Hokkaido, Japan.- Journal of Natural History 33: 1811-1830. [\[details\]](#)

additional source ZAKUTSKIY, V.P. (1970). Some biological features of mysids of the hyponeuston in the Black Sea and Sea of Azov. - Hidrobiol. Zh., 6: 17-22 [\[details\]](#)

ecology source ZATKUTSKIY, V.P. (1965). Preliminary data concerning distribution of benthic and benthopelagic animals and their larvae in plankton and hyponeuston of Azov Sea. - Biol. Sci.,2: 22-24 [\[details\]](#)

additional source WITTMANN, K.J. (2000). Centennial changes in the Near Shore Mysid Fauna of the Gulf of Naples (Mediterranean Sea), with description of Heteromysis siedli sp.n. Marine Ecology, 22 (1-2): 85-109 [\[details\]](#)

ecology source Wooldridge, T. H. (1983). Ecology of beach and surf-zone mysid shrimps in the Eastern Cape, South Africa. In: Der. In Hydrobiol, 19 (McLachlan, Erasmus, Eds) 'Sandy Beaches as ecosystems'. [\[details\]](#)

additional source Wooldridge, T. H. (2000). The Mysid fauna of South Africa. [\[details\]](#)

additional source WALKER, A.O. (1888). Report on some Crustacea from the Canary Islands collected

by Messrs I.C. Thompson and W.S. McMillen. – Proc. Liverpool Biol. Soc., 2: 130-132 [\[details\]](#)

additional source VAN LONDERSEELE, I. & VANLOO, V. & POSSÉ, B. (2002). Op punt stellen referentiecollectie Mysida met koppeling aan digitale collectie Maandwerk [\[details\]](#)

additional source TATTERSALL, W.M. (1927). Notes on a small collection of Mysidacea from West Africa. – Ann. Mag. nat. Hist., Ser.9, 20: 313-317 [\[details\]](#)

original description TATTERSALL, W.M. (1927). XI. Report on the Crustacea Mysidacea. In: Zoological results of the Cambridge expedition to the Suez Canal, 1924. – Trans. zool. Soc. London, 22: 185-19 [\[details\]](#)

identification resource Tattersall, W.M. & O. Tattersall. (1951). The British Mysidacea. Ray Soc., London, 460pp. [\[details\]](#)

additional source Norman, A.M. (1869). Last report on dredging among the Shetland Isles. Part 2. On the Crustacea, Tunicata, Polyzoa, Echinodermata, Actinozoa, Hydrozoa, and Porifera. In: Report of the thirty-eighth meeting of the British Association for the Advancement of Science; held in Norwich in August 1868. London 1869. pp. 247-336, (Amphipoda, pp. 273-288) (Porifera, pp. 327-335)., available online at <http://www.biodiversitylibrary.org/item/93116#page/341/mode/1up> [\[details\]](#)

additional source BROWN, A.C. & M.S. TALBOT (1972): The ecology of the sandy beaches of the Cape Peninsula, South Africa, Part 3: a study of *Gastrosaccus psammodytes* Tattersall (Crustacea: Mysidacea). – Trans.R.Soc.S. Afr.,40 (4): 309-333 [\[details\]](#)

additional source Norman, A.M. 1892 . On British Mysidae, a family of Crustacea Schizopoda. – Ann. Mag. nat. Hist., ser. 6, 10: 143-166, 242-263, 2pls, available online at <http://www.biodiversitylibrary.org/item/88260#page/157/mode/1up> [\[details\]](#)

additional source Garstang, Walter. (1894). Faunistic notes at Plymouth during 1893-1894. With observations on the breeding seasons of marine animals, and on the periodic changes of the floating fauna. Journal of the Marine Biological Association of the United Kingdom, Plymouth. New Series. 3(3): 210-235., available online at <https://biodiversitylibrary.org/page/11561402> [\[details\]](#)

additional source Norman, A.M. & T. Scott (1906): Mysidacea. In: The Crustacea of Devon and Cornwall. London, W. Wesley and Son, pp. 23-28, available online at <https://www.biodiversitylibrary.org/item/17501#page/43/mode/1up> [\[details\]](#)

additional source Zimmer C. (1909): Die nordischen Schizopoden. K. Brandt & C. Apstein (eds.), Nordisches Plankton. Lipsius und Tischler, Kiel und Leipzig, 6: 1-178 [\[details\]](#)

additional source Meinert, F. (1880). Crustacea Isopoda, Amphipoda et Decapoda Daniae: Forteguese over Danmarks isopode, amphipode og decapode krebsdyr. Naturhist. Tidsskr. Copenhagen, ser. 3. 12 (3): 465-512. [\[details\]](#)

additional source Zimmer, C. (1933). Mysidacea. In: Grimpe, G. & E. Wagler, (eds.), Die Tierwelt der Nord- und Ostsee. Leipzig, Akad. Verlagsbuchhandl. 23 (10): 26-69. [\[details\]](#)

additional source Norman A.M. (1907). Notes on the Crustacea of the Channel Islands. Annals and

Magazine of Natural History, (Ser. 7) 20, pp. 356-371;pls. 16-17. [\[details\]](#)

additional source Kramp, P.L. 1913. Schizopoda. In: Ostenfeld, C.H. (ed.), Résumé des observations sur le plankton des mers explorées par le Conseil pendant les années 1902-1908. 3. parte. Copenhagen, A.F. Høst & Son, pp. 539-556. [\[details\]](#)

additional source Nouvel, H. (1949). Mysidacea. In: Jespersen, P., & F.S. Russell (eds.), Fiches d'Identification du Zooplankton. Copenhagen. Conseil Permanent International pour l'Exploration de la Mer. [\[details\]](#)

additional source Pora, E., & M. Bacescu. 1938. Sur la résistance du Myside *Gastrosaccus sanctus* (Van Beneden) de la Mer Noire, aux variations de salinité du Milieu ambiant.- Annales Scientifiques de l'Université de Jassy. 2. Ptie., Sciences Naturelles 25 (1): 259-271. [\[details\]](#)

additional source Suau, P., & F. Vives. 1957. Sobre la presencia de *Gastrosaccus sanctus* (Van Beneden) en la desembocadura del río Ebro.- Investigación Pesquera 8: 121-126 (in Spanish with summary in English). [\[details\]](#)

redescription Bacescu, M. (1941). Les Mysidacés des eaux méditerranéennes de la France (spécialement de Banyuls) et des eaux de Monaco. Bull. Inst. Océanogr. 795: 1-46. [\[details\]](#)

additional source BRANDT, A., U. SIEGEL & V. SIEGEL (1998). An account of the Mysidacea (Crustacea, Malacostraca) of the Southern Ocean . Antarctic Science. 10:3-11. [\[details\]](#)

ecology source FAGE, L. & R. LEGENDRE (1923). Essais de pêche à la lumière dans la baie de Concarneau. - Bull. Inst. Océanogr. Monaco, 431: 1-20 [\[details\]](#)

additional source HERMAN, J. (1969). Aasgarnalen - (Mysidacea) Tabellenserie van de strandwerkgemaenschap, koninklijke Nederlandse Natuurhistorische vereniging, Nederlandse jeugdbond voor natuurstudie & de Christelijke jeugdbond van Natuurvrienden; 23 [\[details\]](#)

additional source HOLT, E.W.L. & W.I. BEAUMONT (1900). Survey of fishing-grounds, west coast of Ireland, 1890-1891. X. Report on the Crustacea Schizopoda of Ireland. - Sci. Trans. r. Dublin Soc.,N.S., 7: 223692352,1pl [\[details\]](#)

additional source LAGARDERE, J.P. & H. NOUVEL (1980). Les mysidacés du talus continental du golfe de Gascogne. 2. Familles des Lophogastridae, Eucopiidae et Mysidae (tribu des Erythropini exceptée). - Bull.Mus. natn.Hist. nat. Paris (Zool., Biol., Ecol. anim.), 2 (3): 845-887 [\[details\]](#)

additional source MCLACHLAN, A. (1983). Sandy beach ecology - A review In: McLachlan, A. & Erasmus, T. (eds.). Sandy beaches as ecosystems. Dr W. Junk Publishers, The Hague, 757 P.; 321-80. : [\[details\]](#)

additional source SUTHERLAND, D. & CLOSS, G.P. (2001). Diel patterns of mysid drift (Crustacea: Mysidacea) in the Taieri River estuary, New Zealand New Zealand Journal of Marine and Freshwater Research 35: 197-200 [\[details\]](#)

identification resource Tattersall, W.M. & O. Tattersall. (1951). The British Mysidacea. Ray Soc., London, 460pp. [\[details\]](#)

additional source VAN LONDERSEELE, I. & VANLOO, V. & POSSÉ, B. (2002). Op punt stellen referentiecollectie Mysida met koppeling aan digitale collectie Maandwerk [\[details\]](#)

additional source Wittmann, K. J. (2000). Centennial changes in the Near Shore Mysid Fauna of the Gulf of Naples (Mediterranean Sea), with description of *Heteromysis siedli* sp.n. *Marine Ecology*. 22 (1-2): 85-109. [\[details\]](#)

additional source Meinert, F. (1877). Crustacea Isopoda, Amphipoda et Decapoda Daniae: Forteguelse over Danmarks isopode, amphipode og decapode krebsdyr. *Naturhist Tidsskr.* 3(11): 57-248. [\[details\]](#)

additional source Carus, Julius Victor. (1885). [vol 1 of] *Prodromus Faunae Mediterraneae sive Descriptio Animalium maris Mediterranei incolarum quam comparata silva rerum quatenus innotuit adiectis et nominibus vulgaribus eorumque auctoribus in commodum zoologorum*. Vol. I. Coelenterata, Echinodermata, Vermes, Arthropoda. [Book]. i-xi, 1-525. E. Schweizerbarfsche Verlagshandlung (E. Koch). (Copepoda pp.318-378), (Annelida pp. 196-281)., available online at <https://doi.org/10.5962/bhl.title.11523> [\[details\]](#)

context source (BeRMS 2020) Bio-environmental research group; Institute of Agricultural and Fisheries research (ILVO), Belgium; (2015): Zooplankton monitoring in the Belgian Part of the North Sea between 2009 and 2010. [\[details\]](#)

additional source Kossmann, R. (1880). *Malacostraca* (2. Theil: Anomura). *Zoologische Ergebnisse einer im auftrage der königlichen Academie der Wissenschaften zu Berlin ausgeführten Reise in die Küstengebiete des Rothen Meeres*. Herausgegeben mit Unterstützung der königlichen Academie von Robby Kossmann, Dr. Phil. und Privatdocent an der Universität Heidelberg. Zweite Hälfte. [Part V]. Wilhelm Engelmann, Leipzig, pp. 67-140; pls. 4-15. [\[details\]](#)

additional source Sowinsky, V.K. (1904). *Vvedenie v izuchenie fauny Ponto-Kaspijsko-Aral'skago morskogo bassejna, razsmatrivaemoj s točki zrenijasamostojatel'noj zoo-geograficheskoi provincii in "Zapiski Kijevskago Obshchestva Jestestvoispytatelej* [Introduction à l'étude de la faune du bassin marin Ponto-Aralo-Kaspien sous le point de vue d'une province zoo-géographique indépendante]. *Zapiski Kijevskago Obshchestva Estestvoispytatelei* = *Mémoires de la Société des Naturalistes de Kieff*. 8 (1): i-xiii, 1-487, 1-216 (4 plates). [\[details\]](#)

additional source Sowinsky, W. (1894). *Les crustacés de la mer d'Azow*. *Zapiski Kijevskago Obshchestva Estestvoispytatelei* = *Mémoires de la Société des Naturalistes de Kieff*. 13:289-405. [\[details\]](#)

additional source Moore, H. B. (1937). Marine fauna of the Isle of Man. *Proceedings and Transactions of the Liverpool Biological Society*. 50: 1-293, maps 1-3. (Crustacea: 87-142). [\[details\]](#)

additional source Monod, T. (1933). Sur quelques Crustacés de l'Afrique occidentale (liste des Décapodes Mauritaniens et des Xanthidés ouest-Africains). *Bulletin du Comité d'Études Historiques et Scientifiques de l'Afrique Occidentale Française*. 15: 456-548. [\[details\]](#)

additional source Hayward, P.J. & J.S. Ryland (Eds.). (1990). *The marine fauna of the British Isles and North-West Europe: 1. Introduction and protozoans to arthropods*. Clarendon Press: Oxford, UK. 627 pp. [\[details\]](#)

Last update: 14 Nov. 2017