

Parazoanthus axinellae (Schmidt, 1862)

AphiaID: 101055

ANÉMONAS-AMARELAS

Biota (Superdomínio) > Animalia (Reino) > Cnidaria (Filo) > Anthozoa (Classe) > Hexacorallia (Subclasse) > Zoantharia (Ordem) > Macrocnemina (Subordem) > Parazoanthidae (Familia) > Parazoanthus (Genero)



Vasco Ferreira Todos os direitos reservados



Vasco Ferreira Todos os direitos reservados



Vasco Ferreira Todos os direitos reservados



Vasco Ferreira Todos os direitos reservados

Estatuto de Conservação



DADOS INSUFICIENTES	POUCO PREOCUPANTE	QUASE AMEAÇADO	VULNERÁVEL	EM PERIGO	CRITICAMENTE EM PERIGO	EXTINTO NA NATUREZA	EXTINTO
DD	LC	NT	VU	EN	CR	EW	EX

Sinónimos

Polythoa axinellae Schmt.
Zoanthus (Palythoa) axinellae

Referências

additional source Hayward, P.J.; Ryland, J.S. (Ed.). (1990). The marine fauna of the British Isles and North-West Europe: 1. Introduction and protozoans to arthropods. Clarendon Press: Oxford, UK. ISBN 0-19-857356-1. 627 pp. [\[details\]](#)

basis of record van der Land, J.; den Hartog, J.H. (2001). Actiniaria, in: Costello, M.J. et al. (Ed.) (2001). European register of marine species: a check-list of the marine species in Europe and a bibliography of guides to their identification. Collection Patrimoines Naturels, 50: pp. 106-109 [\[details\]](#)

original description Schmidt, O. (1862). Die Spongien des adriatischen Meeres. (Wilhelm Engelmann: Leipzig): i-viii, 1-88, pls 1-7. [\[details\]](#)

additional source Colin, P.L.; Arneson, C. (1995). Tropical Pacific Invertebrates. A fieldGuide to the Marine Invertebrates Occurring on Tropical Pacific Coral Reefs, Seagrass Beds and Mangroves. Coral Reef Press: Irvine, USA. 1-296. [\[details\]](#)

additional source Gili, J.M., 1982. Fauna de cnidaris de les illes Medes. Treballs Inst. Cat. Hist. nat. 10 : 1-175. [\[details\]](#)

additional source Lwowsky, F.F., 1913. Revision der Gattung Sidisia Gray (Epizoanthus Auct.). Ein Beitrag zur Kenntnis der Zooanthiden. Zool. Jb., Syst. 34 5-6: 557-614. [\[details\]](#)

additional source Schmidt, H., 1969. Die nesselkapseln der aktinien und ihre differentialdiagnostische bedeutung. The nematocysts of the sea anemones and their importance for differential-diagnosis. Helgoländer wiss. Meeresunters. 19 :284-317. [\[details\]](#)

additional source Ryland, J.S., Brasseur M.M., Lancaster J.E., 2004. Use of cnidae in taxonomy: implications from a study of Acrozoanthus australiae (Hexacorallia, Zoanthidea). Journal of Natural History 38 : 1193-1223. [\[details\]](#)

additional source Sinniger and Haussermann. 2009. Zoanthids (Cnidaria: Hexacorallia: Zoantharia) from shallow waters of the southern Chilean fjord region, with descriptions of a new genus and two new species [\[details\]](#)

additional source Reimer JD, Sinniger F, Fujiwara Y, Hirano S, Maruyama T. 2007. Morphological and molecular characterisation of Abysozoanthus nankaiensis, a new family, new genus and new species of deep-sea zoanthid (Anthozoa:Hexacorallia: Zoantharia) from a north-west Pacific methane cold seep [\[details\]](#)

additional source Swain, T. D. 2009. Isozoanthus antumbrosus, a new species of zoanthid (Cnidaria: Anthozoa: Zoanthidea) symbiotic with Hydrozoa from the Caribbean, with a key to hydroid and sponge-symbiotic zoanthid species. Zootaxa 2051: 41-48. [\[details\]](#)

additional source Reimer, J.D.; Fujii, T. (2010). Four new species and one new genus of zoanthids (Cnidaria, Hexacorallia) from the Galápagos Islands. ZooKeys, 42: 1-36. [\[details\]](#)

additional source Reimer, J.D.; Sinniger, F. (2010). Unexpected diversity in Canadian Pacific zoanthids (Cnidaria: Anthozoa: Hexacorallia): a molecular examination and description of a new species from the waters of British Columbia. Mar. Biodiv., 40(4): 249-260. [\[details\]](#)

additional source Philipp, N.A.; Fautin, D.G. (2009). Three new species of shallow water, yellow zoanthids (Hexacorallia: Zoanthidea: Epizoanthidae) from southern California, USA, and southern Australia. Zootaxa, 2058: 53-61. [\[details\]](#)

additional source Sinniger, F.; Reimer, J.D.; Pawlowski, J. (2010). The Parazoanthidae (Hexacorallia: Zoantharia) DNA taxonomy: description of two new genera. Marine Biodiversity, 40(1), 57-70. [\[details\]](#)

additional source Pax, F. (1911). Aktinien der Aru-Inseln. Senckenbergischen Naturforschenden Gesellschaft. 33: 297-304., available online at <https://www.biodiversitylibrary.org/page/37103285> [\[details\]](#)

additional source Pax, F. 1937. Die Korallenfauna der Adria. Teil 1: Krustenanemonen. Thalassia. 2(7):3-66. [\[details\]](#)

additional source Pax, F. (1957). Die Zoantharien des Golfes von Neapel. Pubblicazioni della Stazione Zoologica di Napoli. 30: 309-329. [\[details\]](#)

additional source Haddon, A. and Shackleton, A. (1891). A revision of the British actiniæ. Part II.: The Zoantheæ. Scientific Transactions of the Royal Dublin Society. 4 (12): 609-672. [\[details\]](#)

additional source Haddon, A. and Shackleton, A. (1891). Reports on the zoological collections made in Torres Straits by Professor A. C. Haddon, 1888-1889. Actiniæ: I. Zoantheæ. Scientific Transactions of the Royal Dublin Society. 4 (13): 673-701. [\[details\]](#)

additional source Herberts, C. (1972). Etude systématique de quelques zoanthaires tempérés et tropicaux. Tethys. Supplement 3, pp. 69-156. [\[details\]](#)

additional source Sinniger, F.; Montoya-Burgos, J. I.; Chevaldonné, P.; Pawlowski, J. (2005). Phylogeny of the order Zoantharia (Anthozoa, Hexacorallia) based on the mitochondrial ribosomal genes. Marine Biology. 147(5): 1121-1128., available online at <https://doi.org/10.1007/s00227-005-0016-3> [\[details\]](#)

additional source Manuel, R. L. (1981). British Anthozoa. London: Academic Press. 241 pp. (Synopsis of the British Fauna). [\[details\]](#)

additional source Abel, E.F. (1959). Zur Kenntnis der marinen Höhlenfauna unter besonderer Berücksichtigung der Anthozoen. Pubblicazioni della Stazione Zoologica di Napoli. 30 (Suppl. 1): 1-94. [\[details\]](#)

additional source Fossa, S. A.; Nilsen, A. J. (1998). The Modern Coral Reef Aquarium. Birgit Schmettkamp Verlag, Bornheim, Germany. volume 2, pp 479. [\[details\]](#)

additional source Carlgren, O. (1935). Di alcune Attinie e Zoantari raccolti nel Golfo di Genova. Bollettino del Musei di Zoologia ed Anatomia Comparata, 15(83): 3-14 [\[details\]](#)

additional source Duerden, J. E. (1900). Jamaican Actiniaria. Part II. – Stichodactylinae and Zoantheae. Scientific Transactions of the Royal Dublin Society, 7, 2, 133-208 [\[details\]](#)

additional source Cornelius, P. F. S.; Manuel, R. L.; Ryland, J. S. (1995). Hydroids, sea anemones, jellyfish, and comb jellies (Phyla Cnidaria and Ctenophora). Oxford University Press. Oxford., chapter 4, edition 2nd, pp. 800 [\[details\]](#)

additional source Schmidt, H. (1972). Die Nesselkapseln der Anthozoen und ihre Bedeutung für die phylogenetische Systematik. Helgoländer Wissenschaftliche Meeresuntersuchungen, 23, 422-458 [\[details\]](#)

additional source Herberts, C. (1987). Ordre des Zoanthaires. Masson. Paris., pp. 783-810 [\[details\]](#)

additional source Herberts, C. (1972). Contribution a l'étude biologique de quelques zoanthaires tempérés et tropicaux. I. – Reproduction, croissance somatique, bourgeonnement. Tethys, 4(3): 711-728 [\[details\]](#)

additional source Herberts, C. (1972). Contribution à l'étude écologique de quelques zoanthaires tempérés et tropicaux. Marine Biology, 13, 127-136 [\[details\]](#)

additional source Muirhead, A. M.; Ryland, J. S. (1985). A review of the genus Isaurus Gray, 1828 (Zoanthidea), including new records from Fiji. Journal of Natural History, 19, 323-335 [\[details\]](#)

additional source Pax, F.; Mueller, I. (1957). Zoantharien des zoologischen museums in Genua. Annali del Museu Civico di Storia Naturali 'Giacomo Doria', 69, 19-30 [\[details\]](#)

additional source Pax, F.; Lochter, H. (1935). Epizoanthus vatovai, eine neue Carcinocien bildende Krustenanemone der Adria. Note dell'Istituto Italo-Germanico di biologia marina di Rovigno d'Istria, 1, 3-16 [\[details\]](#)

additional source Pax, F. (1938). Parazoanthus axinellae als Höhlenbewohner. Note dell'Istituto Italo-Germanico di biologia marina di Rovigno d'Istria, 2, 5, 3-15 [\[details\]](#)

additional source Seifert, R. (1928). Die Nesselkapseln der Zoantharien und ihre differentialdiagnostische Bedeutung. Zoologische Jahrbücher Abteilung für Systematik, Ökologie und Geographie der Tiere, 55, 419-500 [\[details\]](#)

additional source Garrabou, J. (1999). Life-history traits of Alcyonium acaule and Parazoanthus axinellae (Cnidaria, Anthozoa), with emphasis on growth. Marine Ecology Progress Series, 178, 193-204 [\[details\]](#)

additional source Hayward, P. J.; Nelson-Smith, T.; Shields, C. (1986). Collins Pocket Guide. Sea Shore of Britain & Northern Europe. HarperCollins. London., pp. 352. [\[details\]](#)

additional source Riedl, R. (1970). Fauna und Flora der Adria. Paul Parey. Hamburg and Berlin., pp. 702. [\[details\]](#)

additional source Riedl, R. (1963). Fauna und Flora der Adria. Paul Parey. Hamburg and Berlin., edition 1, pp. 702. [\[details\]](#)

additional source Ryland, J. S. (2000). Reproduction in British zoanthids, and an unusual process in *Parazoanthus anguicomus*. Journal of the Marine Biological Association of the United Kingdom, 80, 943-944 [\[details\]](#)

additional source Ryland, J. S. (1997). Reproduction in Zoanthidea (Anthozoa: Hexacorallia). Invertebrate Reproduction and Development, 31(1-3): 177-188 [\[details\]](#)

additional source Arndt, W.; Pax, F. (1936). Das Zusammenleben von Krustenanemonen und schwämmen im Mittelmeer, mit besonderer Berücksichtigung der Adria. Thalassia, 2(3): 1-34 [\[details\]](#)

additional source Ates, R. M. L. (1995). Colonial anemones – Zoanthiniaria. A review for the seriously interested marine aquarist. Aquarium Frontiers, Spring 1995, 10-13 [\[details\]](#)

additional source Picton, B. E. (1985). Anthozoans (Coelenterata: Anthozoa) new to Ireland and new records of some rarely recorded species. Irish Naturalists' Journal, 21(11): 484-488 [\[details\]](#)

additional source Fosså, S. A.; Nilsen, A. J. (1995). Korallenriff-Aquarium, 4. Nesseltiere in Korallenriff und für das Korallenriff-Aquarium. Birgit Schmettkamp Verlag. Bornheim, Germany., edition 1st, volume 4, pp. 447. [\[details\]](#)

additional source Daly, M.; Lipscomb, D. L.; Allard, M. W. (2002). A simple test: evaluating explanations for the relative simplicity of the Edwardsiidae (Cnidaria: Anthozoa). Evolution, 56(3): 502-510 [\[details\]](#)

additional source Won, J. H.; Rho, B. J.; Song, J. I. (2001). A phylogenetic study of the Anthozoa (phylum Cnidaria) based on morphological and molecular characters. Coral Reefs, 20(1): 39-50 [\[details\]](#)

additional source Ocaña, O.; Brito, A.; Núñez, J.; Bacallado, J. J. (1995). Redescrpción de *Gerardia savaglia* (Bertoloni, 1819) (Anthozoa: Zoantharia: Gerardiidae). Vieraeta, 24, 153-164 [\[details\]](#)

additional source Schmidt, H. (1974). On evolution in the Anthozoa. Proceedings of the Second International Coral Reef Symposium, 1, 533-560 [\[details\]](#)

additional source Acosta, A.; Sammarco, P. W.; Duarte, L. F. (2005). New fission processes in the zoanthid *Palythoa caribaeorum*: description and quantitative aspects. Bulletin of Marine Science, 76(1): 1-26 [\[details\]](#)

additional source Pax, F.; Müller, I. (1956). Westafrikanische Zoantharien. Bulletin de l'Institut Royal des Sciences Naturelles de Belgique, 32(61): 1-11 [\[details\]](#)

additional source Ardelean, A.; Fautin, D. G. (2004). A new species of the sea anemone *Megalactis* (Cnidaria: Anthozoa: Actiniaria, Actinodendridae) from Taiwan and designation of a neotype for the

type species of the genus. Proceedings of the Biological Society of Washington, 117(4): 488-504 [\[details\]](#)

additional source Ono, S.; Reimer, J. D.; Tsukahara, J. (2005). Reproduction of *Zoanthus sansibaricus* in the infra-littoral zone at Taisho Lava Field, Sakurajima, Kagoshima, Japan. Zoological Science, 22, 247-255 [\[details\]](#)

additional source Vafidis, D.; Koukouras, A. (1998). Antipatharia, Ceriantharia, and Zoantharia (Hexacorallia, Anthozoa) of the Aegean Sea with a check list of the Mediterranean and Black Sea species. Annales de l'Institut Oceanographique, 74(2): 115-126 [\[details\]](#)

additional source Rossi, L. (1956). Osservazioni ecologiche su alcuni Antozoi del golfo di Genova. Bollettino di Zoologia, 23(2): 237-246 [\[details\]](#)

additional source Pax, F. (1935). Beobachtungen an lebenden Krustenanemonen. Praktische Mikroskopie, 13(11): 330-344 [\[details\]](#)

additional source Schmidt, H. (1972). Bionomische studien an Mediterranen Anthozoen: die Anthozoenfauna des Strombolicchio (Äolische Inseln). Marine Biology, 15, 265-278 [\[details\]](#)

additional source Hayward, P.J. & J.S. Ryland (Eds.). (1990). The marine fauna of the British Isles and North-West Europe: 1. Introduction and protozoans to arthropods. Clarendon Press: Oxford, UK. 627 pp. [\[details\]](#)

Última atualização: 16 Jul. 2018