

Mytilus galloprovincialis Lamarck, 1819

AphialD: 140481

MEXILHÃO

Biota (Superdominio) > Animalia (Reino) > Mollusca (Filo) > Bivalvia (Classe) > Autobranchia (Subclasse) > Pteriomorphia (Infraclasse) > Mytilida (Ordem) > Mytiloidea (Superfamilia) > Mytilidae (Família) > Mytilinae (Subfamília) > *Mytilus* (Genero)



Vasco Ferreira Todos os direitos reservados



Vasco Ferreira / Mar. 22 2018



Vasco Ferreira - OMARE - Observatório Marinho de Esposende / Set. 22 2017
Todos os direitos reservados



Vasco Ferreira Todos os direitos reservados



Vasco Ferreira - OMARE / Dez. 08 2018 Todos os direitos reservados



Mike Weber Todos os direitos reservados



Antonio Palmeira 


Descrição

Espécie de um corpo mole formado por dois lóbulos simétricos e o manto do qual sobressai o pé, uma concha oval de cor negra, onde se podem agarrar outros organismos.

Distribuição geográfica

É encontrado no Atlântico Nordeste e costa portuguesa, em estuários e habitats oceânicos, habitando zonas rochosas entre marés, até aos 10 m de profundidade. Alimenta-se de matéria em suspensão e fitoplâncton através de filtração. A reprodução é sazonal e as posturas ocorrem na Primavera e Verão tardio, em resposta ao aumento da temperatura e salinidade da água, assim como ao aumento do alimento disponível.

Facilmente confundível com:



Mytilus edulis
Mexilhão

Estatuto de Conservação



NÃO AVALIADO NE	DADOS INSUFICIENTES DD	POUCO PREOCUPANTE LC	QUASE AMEAÇADO NT	VULNERÁVEL VU	EM PERIGO EN	CRITICAMENTE EM PERIGO CR	EXTINTO NA NATUREZA EW	EXTINTO EX

Sinónimos

- Mytilus dilatatus* Gray, 1825
- Mytilus edulis diegensis* Coe, 1945
- Mytilus edulis galloprovincialis* Lamarck, 1819
- Mytilus edulis zhirmunkii* Scarlato & Starobogatov, 1979
- Mytilus edulis zhurmunksi* Scarlato & Starobogatov, 1979
- Mytilus flavus* Poli, 1795
- Mytilus galloprovincialis angustata* Philippi, 1836
- Mytilus galloprovincialis eduliformis* Monterosato, 1891
- Mytilus galloprovincialis falcata* Monterosato, 1884
- Mytilus galloprovincialis herculea* Monterosato, 1884
- Mytilus galloprovincialis var. *angustata** Philippi, 1836
- Mytilus galloprovincialis var. *eduliformis** Monterosato, 1891
- Mytilus galloprovincialis var. *falcata** Monterosato, 1884

Mytilus galloprovincialis var. *frequens* Milaschewitsch, 1909
Mytilus galloprovincialis var. *herculea* Monterosato, 1884
Mytilus galloprovincialis var. *latissima* Monterosato, 1884
Mytilus galloprovincialis var. *trepida* Milaschewitsch, 1916
Mytilus galloprovincialis var. *uncinata* Bucquoy, Dautzenberg & Dollfus, 1889
Mytilus glocinus Locard, 1889
Mytilus hesperianus Lamarck, 1819
Mytilus lamarckianus Clessin, 1887
Mytilus orbicularis Pallary, 1903
Mytilus pelecinus Locard, 1889
Mytilus sagittatus Poli, 1795
Mytilus succineus Danilo & Sandri, 1856
Mytilus sagittatus Poli, 1795
Mytilus succineus Danilo & Sandri, 1856
Mytilus sagittatus Poli, 1795
Mytilus similis Clessin, 1882
Mytilus succineus Danilo & Sandri, 1856

Referências

basis of record Gofas, S.; Le Renard, J.; Bouchet, P. (2001). Mollusca. in: Costello, M.J. et al. (eds), European Register of Marine Species: a check-list of the marine species in Europe and a bibliography of guides to their identification. Patrimoines Naturels. 50: 180-213. [\[details\]](#)

original description Lamarck [J.-B. M.] de. (1819). Histoire naturelle des animaux sans vertèbres. Tome sixième, 1re partie. Paris: published by the Author, vi + 343 pp., available online at <http://www.biodiversitylibrary.org/item/47441> [\[details\]](#)

additional source Gosling E. (editor) (1992). The mussel *Mytilus*: ecology, physiology, genetics and culture. * Developments in Aquaculture and Fisheries Science, 25. Elsevier, Amsterdam. xiii + 589 pp.: [\[details\]](#)

additional source Huber, M. (2010). Compendium of bivalves. A full-color guide to 3,300 of the world's marine bivalves. A status on Bivalvia after 250 years of research. Hackenheim: ConchBooks. 901 pp., 1 CD-ROM. [\[details\]](#)

additional source Rawson, P. D.; Joyner, K. L.; Meetze, K.; Hilbish, T. J. (1996). Evidence for intragenic recombination within a novel genetic marker that distinguishes mussels in the *Mytilus edulis* species complex. Heredity. 77(6): 599-607., available online at <https://doi.org/10.1038/hdy.1996.187> [\[details\]](#)

additional source Lubet P. (1959). Recherches sur le cycle sexuel et l'émission des gamètes chez les Mytilidés et les Pectinidés. Revue des Travaux de l'Institut des Pêches Maritimes. 23(3): 384-548., available online at <http://archimer.ifremer.fr/doc/1959/publication-4507.pdf> [\[details\]](#)

context source (Introduced species) Molnar, J. L.; Gamboa, R. L.; Revenga, C.; Spalding, M. D. (2008).

Assessing the global threat of invasive species to marine biodiversity. *Frontiers in Ecology and the Environment*. 6(9): 485-492., available online at <https://doi.org/10.1890/070064> [details]

context source (HKRMS) Britton, J. C. (1990). The intertidal crevice fauna of Tolo Channel and Harbour, New Territories, Hong Kong. In: Morton B, editor. *Proceedings of the Second International Marine Biological Workshop: The Marine Flora and Fauna of Hong Kong and Southern China* . The Marine flora and fauna of Hong Kong and southern china II, Hong Kong University Press, Hong Kong. 2: 803-835. [details]

context source (HKRMS) Britton, J. C. (1990). The intertidal crevice fauna of Tolo Channel and Harbour, New Territories, Hong Kong. In: Morton B, editor. *Proceedings of the Second International Marine Biological Workshop: The Marine Flora and Fauna of Hong Kong and Southern China* . The Marine flora and fauna of Hong Kong and southern china II, Hong Kong University Press, Hong Kong. 2: 803-835. [details]

context source (HKRMS) Britton, J. C. (1990). The intertidal crevice fauna of Tolo Channel and Harbour, New Territories, Hong Kong. In: Morton B, editor. *Proceedings of the Second International Marine Biological Workshop: The Marine Flora and Fauna of Hong Kong and Southern China* . The Marine flora and fauna of Hong Kong and southern china II, Hong Kong University Press, Hong Kong. 2: 803-835. [details]

additional source Huber, M. (2010). *Compendium of bivalves. A full-color guide to 3,300 of the world's marine bivalves. A status on Bivalvia after 250 years of research.* Hackenheim: ConchBooks. 901 pp., 1 CD-ROM. [details]

additional source Lubet P. (1959). Recherches sur le cycle sexuel et l'émission des gamètes chez les Mytilidés et les Pectinidés. *Revue des Travaux de l'Institut des Pêches Maritimes*. 23(3): 384-548., available online at <http://archimer.ifremer.fr/doc/1959/publication-4507.pdf> [details]

context source (HKRMS) Britton, J. C. (1990). The intertidal crevice fauna of Tolo Channel and Harbour, New Territories, Hong Kong. In: Morton B, editor. *Proceedings of the Second International Marine Biological Workshop: The Marine Flora and Fauna of Hong Kong and Southern China* . The Marine flora and fauna of Hong Kong and southern china II, Hong Kong University Press, Hong Kong. 2: 803-835. [details]

context source (HKRMS) Britton, J. C. (1990). The intertidal crevice fauna of Tolo Channel and Harbour, New Territories, Hong Kong. In: Morton B, editor. *Proceedings of the Second International Marine Biological Workshop: The Marine Flora and Fauna of Hong Kong and Southern China* . The Marine flora and fauna of Hong Kong and southern china II, Hong Kong University Press, Hong Kong. 2: 803-835. [details]

identification resource Cosel R. von & Gofas S. (2019). *Marine bivalves of tropical West Africa: from Rio de Oro to southern Angola. Faune et Flore Tropicales*. 48: 1-1104. [details]

identification resource Cosel R. von & Gofas S. (2019). *Marine bivalves of tropical West Africa: from Rio de Oro to southern Angola. Faune et Flore Tropicales*. 48: 1-1104. [details]

context source (HKRMS) Britton, J. C. (1990). The intertidal crevice fauna of Tolo Channel and Harbour,

New Territories, Hong Kong. In: Morton B, editor. Proceedings of the Second International Marine Biological Workshop: The Marine Flora and Fauna of Hong Kong and Southern China . The Marine flora and fauna of Hong Kong and southern china II, Hong Kong University Press, Hong Kong. 2: 803-835. [\[details\]](#)

additional source Zbawicka, M., Gardner, J.P.A. & Wenne, R. (2019). Cryptic diversity in smooth-shelled mussels on Southern Ocean islands: connectivity, hybridisation and a marine invasion. *Frontiers in Zoology*. 16 (32). 12 pp. [\[details\]](#)

original description Lamarck [J.-B. M.] de. (1819). *Histoire naturelle des animaux sans vertèbres*. Tome 6(1): vi + 343 pp. Paris: published by the author. , available online at <http://www.biodiversitylibrary.org/item/47441> [\[details\]](#)

additional source Valentich-Scott P., Coan E.V. & Zelaya D. (2020). Bivalve seashells of western North America. Marine bivalve mollusks from Punta Aguja, Peru to Isla Chiloé, Chile. vii + 593 pp. Santa Barbara: Santa Barbara Museum of Natural History. [\[details\]](#)

additional source Ishida, S.; Iwasaki, K.; Kuwahara, Y. (2005). Initial Invasion History and Process of Range Extension of *Mytilus galloprovincialis* – Inferred from the Specimens Collected by T. Furukawa. *Venus (Journal of the Malacological Society of Japan)*. 64 (3-4): 151-159. [\[details\]](#)

additional source Ubukata, T. (2000). Theoretical Morphology of Composite Prismatic, Fibrous Prismatic and Foliated Shell Microstructures in Bivalves. *Venus (Journal of the Malacological Society of Japan)*. 59 (4): 297-305. [\[details\]](#)

additional source Hayazake, E.; Tanabe, K. (1999). Early Larval Shell Development in Mytilid Bivalve *Mytilus galloprovincialis*. *Venus (Journal of the Malacological Society of Japan)*. 58 (3): 119-127. [\[details\]](#)

additional source Ieyama, H. ; Kameoka, O. ; Tan, T. ; Yamasaki, J. (1994). Chromosomes and Nuclear DNA Contents of Some Species in Mytilidae. *VENUS (The Japanese Journals of Malacology)*. 53(4):327-331. [\[details\]](#)

additional source Hosomi, A. (1987). On the Density Effect in Populations of the Mussel, *Mytilus galloprovincialis*. *VENUS (The Japanese Journals of Malacology)*. 46(2):116-126. [\[details\]](#)

additional source Hosomi, A. (1985). The Production, Daily Production, Biomass and Turn-over Rate of the Mussel *Mytilus galloprovincialis*. *VENUS (The Japanese Journals of Malacology)*. 44(4):270-277. [\[details\]](#)

additional source Hosomi, A. (1985). On Several Fundamental Allometries of the Mussels, *Mytilus galloprovincialis*. *VENUS (The Japanese Journals of Malacology)*. 44(3.) : 172-182. [\[details\]](#)

additional source Hosomi, A. (1985). On the Persistent Trend of Constant Biomass and the Constant Total Occupation Area of the Mussel *Mytilus galloprovincialis* (Lamarck). *VENUS (The Japanese Journals of Malacology)*. 44(1): 33-48. [\[details\]](#)

additional source Hosomi, A. (1984). Ecological Studies on the Mussel *Mytilus galloprovincialis* (Lamarck)- III. Rise and Fall of Recruited Cohorts in Adult Mussel Bed. *VENUS (The Japanese Journals of*

Malacology). 43(2):157-171. [\[details\]](#)

context source (Introduced species) Molnar, J.L., R.L. Gamboa, C. Revenga & M.D. Spalding. (2008). Assessing the global threat of invasive species to marine biodiversity. *Frontiers in Ecology and the Environment*. 6(9): 485-492., available online at <https://doi.org/10.1890/070064> [\[details\]](#)

Última atualização: 23 Abr. 2020