

Hediste diversicolor (O.F. Müller, 1776)

AphiaID: 152302

ESTUARY RAGWORM

Biota (Superdominio) > Nereidiformia (Subordem) > Nereidinae (Subfamilia) > Hediste (Genero)



Rainer Borcharding - Schutzstation Wattenmeer, via beachexplorer.org



Synonyms

Nereis diversicolor (O.F. Müller, 1776),

Nereis (*Hediste*) *diversicolor* (O.F. Müller, 1776)

Neanthes diversicolor (Müller, 1776)

Nereis (*Hediste*) *diversicolor* O.F. Müller, 1776

Nereis brevimanus Johnston, 1840

Nereis depressa Frey & Leuckart, 1847
Nereis diversicolor Müller, 1776
Nereis sarsii Rathke, 1843
Nereis versicolor [misspelling for diversicolor]
Nereis viridis Johnston, 1840
Nereis viridis Johnston, 1840

References

Budd, G.C. 2008. Hediste diversicolor Ragworm. In Tyler-Walters H. and Hiscock K. (eds) Marine Life Information Network: Biology and Sensitivity Key Information Reviews, [on-line]. Plymouth: Marine Biological Association of the United Kingdom. [cited 27-01-2019]. Available from: <https://www.marlin.ac.uk/species/detail/1426>

additional source Hartmann-Schröder, G. (1996). Annelida, Borstenwürmer, Polychaeta [Annelida, bristleworms, Polychaeta]. 2nd revised ed. The fauna of Germany and adjacent seas with their characteristics and ecology, 58. Gustav Fischer: Jena, Germany. ISBN 3-437-35038-2. 648 pp. [\[details\]](#)

additional source Muller, Y. (2004). Faune et flore du littoral du Nord, du Pas-de-Calais et de la Belgique: inventaire. [Coastal fauna and flora of the Nord, Pas-de-Calais and Belgium: inventory]. Commission Régionale de Biologie Région Nord Pas-de-Calais: France. 307 pp., available online at <http://www.vliz.be/imisdocs/publications/145561.pdf> [\[details\]](#)

redescription Bakken, T.; Wilson, R.S. (2005). Phylogeny of nereidids (Polychaeta, Nereididae) with paragnaths. Zoologica Scripta. 34(5): 507-547., available online at <https://doi.org/10.1111/j.1463-6409.2005.00200.x> [\[details\]](#)

additional source Hartman, Olga. (1959). Catalogue of the Polychaetous Annelids of the World. Parts 1 and 2. Allan Hancock Foundation Occasional Paper. 23: 1-628. [\[details\]](#)

additional source Einfeldt, A. L.; Doucet, J. R.; Addison, J. A. (2014). Phylogeography and cryptic introduction of the ragworm Hediste diversicolor (Annelida, Nereididae) in the Northwest Atlantic. Invertebrate Biology. 133(3): 232-241., available online at <https://doi.org/10.1111/ivb.12060> [\[details\]](#)

redescription Jirkov, I.A. (2001). [Polychaeta of the Arctic Ocean] (In Russian) Polikhety severnogo Ledovitogo Okeana. Yanus-K Press, Moscow, 632 pp., available online at https://www.researchgate.net/publication/259865957_Jirkov_2001_Polychaeta_of_the_North_Polar_Basin [\[details\]](#)

new combination reference Malmgren, A.J. (1867). Annulata Polychaeta Spetsbergiæ, Grœnlandiæ, Islandiæ et Scandinaviæ. Hactenus Cognita. Ex Officina Frenckelliana, Helsingforslæ. 127 pp. & XIV plates., available online at <https://doi.org/10.5962/bhl.title.13358> [\[details\]](#)

redescription Vieitez, J.M.; M.A.; Alós, C.; Parapar, J.; Besteiro, C.; Moreira, J.; Nunez, J.; Laborda, J.; and San Martin, G. (2004). Annelida Polychaeta I. Fauna Iberica. Ramos, M.A. et al (Eds.). Museo Nacional de Ciencias Naturales, CSIC, Madrid, Vol. 25:1-530 [sections separate authorship not recognised here].

[\[details\]](#)

context source (Schelde) Maris, T.; Beauchard, O.; Van Damme, S.; Van den Bergh, E.; Wijnhoven, S.; Meire, P. (2013). Referentiematrices en Ecotoopoppervlaktes Annex bij de Evaluatiemethodiek Schelde-estuarium Studie naar “Ecotoopoppervlaktes en intactness index”. Monitor Taskforce Publication Series, 2013-01. NIOZ: Yerseke. 35 pp. [\[details\]](#)

redescription Bakken, Torkild; Wilson, Robin S. (2005). Phylogeny of nereidids (Polychaeta, Nereididae) with paragnaths. *Zoologica Scripta*. 34(5): 507-547., available online at <https://doi.org/10.1111/j.1463-6409.2005.00200.x> [\[details\]](#)

new combination reference Malmgren, A.J. (1867). *Annulata Polychaeta Spetsbergiæ, Grœnlandiæ, Islandiæ et Scandinaviæ. Hactenus Cognita. Ex Officina Frenckelliana, Helsingforslæ.* 127 pp. & XIV plates., available online at <https://doi.org/10.5962/bhl.title.13358> [\[details\]](#)

redescription Vieitez, J.M.; M.A.; Alós, C.; Parapar, J.; Besteiro, C.; Moreira, J.; Nunez, J.; Laborda, J.; and San Martin, G. (2004). Annelida Polychaeta I. *Fauna Iberica*. Ramos, M.A. et al (Eds.). Museo Nacional de Ciencias Naturales, CSIC, Madrid, Vol. 25:1-530 [sections separate authorship not recognised here]. [\[details\]](#)

context source (BeRMS 2020) Bio-environmental research group; Institute of Agricultural and Fisheries research (ILVO), Belgium; (2015): Epibenthos and demersal fish monitoring at long-term monitoring stations in the Belgian part of the North Sea. [\[details\]](#)

additional source Salazar-Vallejo, Sergio I.; De León-González, Jesús Angel; Conde-Vela, Victor M. (2021). Revision of the species confused with “*Nereis falsa*” de Quatrefages, 1866 (Annelida, Nereididae). *European Journal of Taxonomy*. 779: 1-70., available online at <https://doi.org/10.5852/ejt.2021.779.1579> [\[details\]](#)

redescription Teixeira, Marcos A. L.; Bakken, Torkild; Vieira, Pedro E.; Langeneck, Joachim; Sampieri, Bruno R.; Kasapidis, Panagiotis; Ravara, Ascensão; Nygren, Arne; Costa, Filipe O. (2022). The curious and intricate case of the European Hediste diversicolor (Annelida, Nereididae) species complex, with description of two new species. *Systematics and Biodiversity*. 20(1): 2116124: 1-40., available online at <https://doi.org/10.1080/14772000.2022.2116124> [\[details\]](#)

taxonomy source Virgilio, M.; Fauvelot, C.; Costantini, F.; Abbiati, M.; Backeljau, T. (2009). Phylogeography of the common ragworm Hediste diversicolor (Polychaeta: Nereididae) reveals cryptic diversity and multiple colonization events across its distribution. *Molecular Ecology*. 18(9): 1980-1994., available online at <https://doi.org/10.1111/j.1365-294x.2009.04170.x> [\[details\]](#)

Last update: 01 Dec. 2017