

Lutraria lutraria (Linnaeus, 1758)

AphiaID: 140295

COMMON OTTER SHELL

Biota (Superdominio) > Autobranchia (Subclasse) > Heteroconchia (Infraclasse) > Euheterodonta (Subterclasse) > Venerida (Ordem) > Lutrariinae (Subfamilia) > Lutraria (Genero)



Appeltans, Ward via WoRMS



Conservation status and major threats



Synonyms

Chama magna da Costa, 1778
Lutraria elliptica Lamarck, 1801
Lutraria elliptica var. *latior* Philippi, 1844
Lutraria lutraria f. *capensis* Reeve, 1854
Lutraria lutraria var. *panormensis* Gregorio, 1885
Lutraria solida Philippi, 1851
Lutraria vulgaris J. Fleming, 1828
Mya lutraria Linnaeus, 1758

References

additional source Hayward, P.J.; Ryland, J.S. (Ed.). (1990). The marine fauna of the British Isles and North-West Europe: 1. Introduction and protozoans to arthropods. Clarendon Press: Oxford, UK. ISBN 0-19-857356-1. 627 pp. [\[details\]](#)

basis of record Gofas, S.; Le Renard, J.; Bouchet, P. (2001). Mollusca. in: Costello, M.J. et al. (eds), European Register of Marine Species: a check-list of the marine species in Europe and a bibliography of guides to their identification. Patrimoines Naturels. 50: 180-213. [\[details\]](#)

additional source Huber, M. (2010). Compendium of bivalves. A full-color guide to 3,300 of the world's marine bivalves. A status on Bivalvia after 250 years of research. Hackenheim: ConchBooks. 901 pp., 1 CD-ROM. [\[details\]](#)

context source (BeRMS 2020) Bio-environmental research group; Institute of Agricultural and Fisheries research (ILVO), Belgium; (2015): Epibenthos and demersal fish monitoring data in function of wind energy development in the Belgian part of the North Sea. [\[details\]](#)

Last update: 09 Dec. 2017