

Holothuria (Platyperona) sanctori Delle Chiaje, 1823

AphiaID: 124528

PEPINO-DO-MAR

Biota (Superdomínio) > Animalia (Reino) > Echinodermata (Filo) > Echinozoa (Subfilo) > Holothuroidea (Classe) > Actinopoda (Subclasse) > Holothuriida (Ordem) > Holothuriidae (Familia) > Holothuria (Genero) > Holothuria (platyperona) (Subgenero)



Vasco Ferreira Todos os direitos reservados

Estatuto de Conservação



DADOS INSUFICIENTES	POUCO PREOCUPANTE	QUASE AMEAÇADO	VULNERÁVEL	EM PERIGO	CRITICAMENTE EM PERIGO	EXTINTO NA NATUREZA	EXTINTO
DD	LC	NT	VU	EN	CR	EW	EX

Sinónimos

Holothuria farcimen Selenka, 1867
Holothuria flavocastanea (Théel, 1886)
Holothuria sanctori Delle Chiaje, 1824
Mülleria flavo-castanea Théel, 1886

Referências

additional source Rowe, F.W.E. (1969). A review of the family Holothuriidae (Holothurioidea: Aspidochirotida). Bull. Br. Mus. (Nat. Hist.) (Zool.) 18(4): 119-170 [\[details\]](#)

basis of record Hansson, H.G. (2001). Echinodermata, in: Costello, M.J. et al. (Ed.) (2001). European register of marine species: a check-list of the marine species in Europe and a bibliography of guides to their identification. Collection Patrimoines Naturels,. 50: pp. 336-351. [\[details\]](#)

additional source Rowe, F. W. E. (1969). A review of the family Holothuriidae (Holothurioidea: Aspidochirotida). Bull. Br. Mus. (Nat. Hist.) (Zool.). 18(4): 119-170., available online at <https://biodiversitylibrary.org/page/2636614> [\[details\]](#)

Última atualização: 16 Jul. 2018