

Haliclona (Haliclona) oculata (Linnaeus, 1759)

AphiaID: 132833

MERMAID'S GLOVE

Biota (Superdomínio) > Haliclona (Genero) > Haliclona (haliclona) (Subgenero)



Vasco Ferreira Todos os direitos reservados



Vasco Ferreira Todos os direitos reservados

Synonyms

Axinella oculata (Linnaeus, 1759)
Axinella oculata var. *tavaresi* Bethencourt-Ferreira, 1923
Chalina arbuscula Verrill, 1873
Chalina cervicornis (Pallas, 1766)
Chalina grantii Bowerbank, 1866
Chalina oculata (Linnaeus, 1759)
Diplodemia vesicula Bowerbank, 1864
Euchalinopsis (Chalina) oculata (Linnaeus, 1759)
Euchalinopsis oculata (Linnaeus, 1759)
Halichondria cervicornis Johnston, 1842
Halichondria oculata (Linnaeus, 1759)
Haliclona occulata
Haliclona oculata (Linnaeus, 1759)
Isodictya grantii (Bowerbank, 1866)
Isodictya pygmaea Bowerbank, 1866
Siphocalina oculata

Spongia cespitosa Rafinesque, 1818
Spongia coalita Müller, 1776
Spongia lanuginosa Esper, 1794
Spongia oculata sensu Pallas, 1766
Spongia oculata Linnaeus, 1759
Veluspa gracilis Miklucho-Maclay, 1870
Veluspa polymorpha Miklucho-Maclay, 1870
Veluspa polymorpha Miklucho-Maclay, 1870
Veluspa polymorpha var. *repens* Miklucho-Maclay, 1870

References

additional source Van Soest, R.W.M. 2001. Porifera, in: Costello, M.J. et al. (Ed.) (2001). European register of marine species: a check-list of the marine species in Europe and a bibliography of guides to their identification. Collection Patrimoines Naturels, 50: pp. 85-103 [\[details\]](#)

additional source Ginn, B.K.; Logan, A.; Thomas, M.L.H.; Van Soest, R.W.M. 1998. *Hymedesmia canadensis* (Porifera: Poecilosclerida), a new species among new geographical records from the Bay of Fundy, New Brunswick, Canada. Journal of the Marine Biological Association U.K. 78: 1093-1100. [\[details\]](#)

additional source Gosner, K. L. (1971). Guide to identification of marine and estuarine invertebrates: Cape Hatteras to the Bay of Fundy. John Wiley & Sons, Inc. 693 p. [\[details\]](#)

additional source Linkletter, L. E. (1977). A checklist of marine fauna and flora of the Bay of Fundy. Huntsman Marine Laboratory, St. Andrews, N.B. 68: p. [\[details\]](#)

additional source Logan, A. (1998). A sublittoral hard substrate epibenthic community below 30 m in Head Harbour Passage, New Brunswick, Canada. Estuarine, Coastal and Shelf Science. 27: 445-459. [\[details\]](#)

additional source Meinkoth, N.A. 1981. Field guide to North American seashore creatures. The Audubon Society. Alfred A. Knopf. New York. 799 p. [\[details\]](#)

basis of record De Weerd, W.H. 2002. Family Chalinidae Gray, 1867. Pp. 852-873. In Hooper, J. N. A. & Van Soest, R. W. M. (ed.) *Systema Porifera. A guide to the classification of sponges*. 1 (Kluwer Academic/ Plenum Publishers: New York, Boston, Dordrecht, London, Moscow). [\[details\]](#)

additional source Arndt, W. (1928). Porifera, Schwämme, Spongien. pp. 1-94 in: Dahl, F. (ed.) *Die Tierwelt Deutschlands und der angrenzenden Meeresteile nach ihren Merkmalen und nach ihrer Lebensweise*. 4. Teil. Porifera-Coelenterata-Echinodermata. Gustav Fischer Verlag. Jena. 332 pp. [\[details\]](#)

additional source Muller, Y. (2004). Faune et flore du littoral du Nord, du Pas-de-Calais et de la Belgique: inventaire. [Coastal fauna and flora of the Nord, Pas-de-Calais and Belgium: inventory]. Commission Régionale de Biologie Région Nord Pas-de-Calais: France. 307 pp., available online at

<http://www.vliz.be/imisdocs/publications/145561.pdf> [details]

basis of record Pallas, P. S. (1766). *Elenchus zoophytorum sistens generum adumbrationes generaliores et specierum cognitarum succintas descriptiones, cum selectis auctorum synonymis*. Fransiscum Varrentrapp, Hagae. pp. 451., available online at <https://doi.org/10.5962/bhl.title.6595> [details]

additional source Van Soest, R.W.M. (2001). Porifera, in: Costello, M.J. et al. (Ed.) (2001). *European register of marine species: a check-list of the marine species in Europe and a bibliography of guides to their identification*. Collection Patrimoines Naturels. 50: 85-103. [details]

additional source Ginn, B.K.; Logan, A.; Thomas, M.L.H.; Van Soest, R.W.M. (1998). *Hymedesmia canadensis* (Porifera: Poecilosclerida), a new species among new geographical records from the Bay of Fundy, New Brunswick, Canada. *Journal of the Marine Biological Association of the United Kingdom*. 78: 1093-1100. [details]

additional source Gosner, K. L. (1971). *Guide to identification of marine and estuarine invertebrates: Cape Hatteras to the Bay of Fundy*. John Wiley & Sons, Inc. 693 p. [details]

basis of record De Weerd, W.H. 2002. Family Chalinidae Gray, 1867. Pp. 852-873. In Hooper, J. N. A. & Van Soest, R. W. M. (ed.) *Systema Porifera. A guide to the classification of sponges*. 1 (Kluwer Academic/ Plenum Publishers: New York, Boston, Dordrecht, London, Moscow). [details]

additional source Meinkoth, N. A. (1981). *Field guide to North American seashore creatures*. The Audubon Society. 1-799. [details]

basis of record Pallas, P.S. (1766). *Elenchus zoophytorum sistens generum adumbrationes generaliores et specierum cognitarum succintas descriptiones, cum selectis auctorum synonymis*. Fransiscum Varrentrapp, Hagae. pp. 451., available online at <https://doi.org/10.5962/bhl.title.6595> [details]

additional source Arndt, W. (1928). Porifera, Schwämme, Spongien. pp. 1-94 in: Dahl, F. (ed.) *Die Tierwelt Deutschlands und der angrenzenden Meeresteile nach ihren Merkmalen und nach ihrer Lebensweise*. 4. Teil. Porifera-Coelenterata-Echinodermata. Gustav Fischer Verlag Jena. 332 pp. [details]

basis of record De Weerd, W.H. (2002 [2004]). Family Chalinidae Gray, 1867. Pp. 852-873. In: Hooper, J.N.A.; Van Soest, R.W.M. (eds) *Systema Porifera. A guide to the classification of sponges*. Kluwer Academic/ Plenum Publishers, New York. 1708 + xvliii. ISBN 978-1-4615-0747-5 (eBook electronic version). [details]

Last update: 22 Mar. 2018