

Cryptonemia seminervis (C.Agardh) J.Agardh, 1846

AphiaID: 145241

.

Biota (Superdominio) > Plantae (Reino) > Biliphyta (Subreino) > Rhodophyta (Filo) > Eurhodophytina (Subdivisao) > Florideophyceae (Classe) > Rhodymeniophycidae (Subclasse) > Halymeniales (Ordem) > Halymeniaceae (Familia) > Cryptonemia (Genero)

Sinónimos

Cryptonemia lactuca f. seminervis (C.Agardh) Sauvageau, 1897

Cryptonemia luxurians (C.Agardh) J.Agardh, 1851

Cryptonemia seminervis f. phyllantoides J.Agardh

Cryptonemia seminervis f. seminervis (C.Agardh) J.Agardh

Cryptonemia seminervis var. palmata J.Agardh

Cryptonemia seminervis var. phyllantoides J.Agardh

Euhymenia luxurians (C.Agardh) Kützinger, 1849

Sphaerococcus lactuca var. luxurians C.Agardh, 1822

Sphaerococcus seminervis C.Agardh, 1821

Referências

additional source Guiry, M.D. & Guiry, G.M. (2017). AlgaeBase. World-wide electronic publication, National University of Ireland, Galway. , available online at <http://www.algaebase.org> [details]

basis of record Guiry, M.D. (2001). Macroalgae of Rhodophycota, Phaeophycota, Chlorophycota, and two genera of Xanthophycota, in: Costello, M.J. et al. (Ed.) (2001). European register of marine species: a check-list of the marine species in Europe and a bibliography of guides to their identification. Collection Patrimoines Naturels, 50: pp. 20-38 [details]

additional source Fredericq, S., T. O. Cho, S. A. Earle, C. F. Gurgel, D. M. Krayesky, L. E. Mateo-Cid, A. C. Mendoza-González, J. N. Norris, and A. M. Suárez. 2009. Seaweeds of the Gulf of Mexico, Pp. 187-259 in Felder, D.L. and D.K. Camp (eds.), Gulf of Mexico-Origins, Waters, and Biota. I. Biodiversity, pp. 187-259. Texas A&M Univ. Press. [details]

context source (Bermuda) Schneider, C. W. (2003). An annotated checklist and bibliography of the marine macroalgae of the Bermuda Islands. Nova Hedwigia, 76(3-4): 275-361 [details]

Última atualização: 29 Jun. 2017