

Nemichthys scolopaceus Richardson, 1848

AphiaID: 126306

COBRA-DE-BICO

Biota (Superdomínio) > Animalia (Reino) > Chordata (Filo) > Vertebrata (Subfilo) > Gnathostomata (Infrafilo) > Osteichthyes (Parvfilo) > Actinopterygii (Gigaclasse) > Actinopteri (Superclasse) > Teleostei (Classe) > Anguilliformes (Ordem) > Nemichthyidae (Familia) > Nemichthys (Genero)

Habitat e ecologia

Marinho; Mesopelágico e batipelágico; intervalo de profundidade: 100-4337 metros, embora mais frequentemente entre os 400-1000 metros.

Ocorre a meia-água, geralmente abaixo dos 400 metros mas ocasionalmente em águas pouco profundas. Alimenta-se de crustáceos enquanto nada de boca aberta.

Sinónimos

Belonopsis leuchtenbergi (Lowe, 1852)
Cercomitus flagellifer Weber, 1913
Investigator acanthonotus (Alcock, 1894)
Leptocephalus andreae Schmidt, 1912
Leptocephalus canaricus Lea, 1913
Leptorhynchus leuchtenbergi Lowe, 1852
Nematoprora polygonifera Gilbert, 1905
Nemichthys acanthonotus Alcock, 1894
Nemichthys avocetta Jordan & Gilbert, 1881
Nemichthys fronto Garman, 1899
Nemichthys gaussiana (Pappenheim, 1914)
Nemichthys mediterraneus Ariola, 1904
Nemichthys scolopaceus Richardson, 1848
Nemichthys scolopacea Richardson, 1848
Paravocettinops trilinearis Kanazawa & Maul, 1967
Tilurella gaussiana Pappenheim, 1914

Referências

additional source Froese, R. & D. Pauly (Editors). (2018). FishBase. World Wide Web electronic publication. , available online at <http://www.fishbase.org> [details]

basis of record van der Land, J.; Costello, M.J.; Zavodnik, D.; Santos, R.S.; Porteiro, F.M.; Bailly, N.; Eschmeyer, W.N.; Froese, R. (2001). Pisces, in: Costello, M.J. et al. (Ed.) (2001). European register of marine species: a check-list of the marine species in Europe and a bibliography of guides to their identification. Collection Patrimoines Naturels, 50: pp. 357-374 [details]

additional source Gulf of Maine Biogeographic Information System (GMBIS) Electronic Atlas. 2002. November, 2002. [details]

additional source Scott, W.B.; Scott, M.G. (1988). Atlantic fishes of Canada. Canadian Bulletin of Fisheries and Aquatic Sciences. No. 219. 731 pp. [details]

additional source King, C.M.; Roberts, C.D.; Bell, B.D.; Fordyce, R.E.; Nicoll, R.S.; Worthy, T.H.; Paulin, C.D.; Hitchmough, R.A.; Keyes, I.W.; Baker, A.N.; Stewart, A.L.; Hiller, N.; McDowall, R.M.; Holdaway, R.N.; McPhee, R.P.; Schwarzhans, W.W.; Tennyson, A.J.D.; Rust, S.; Macadie, I. (2009). Phylum Chordata: lancelets, fishes, amphibians, reptiles, birds, mammals, in: Gordon, D.P. (Ed.) (2009). New Zealand inventory of biodiversity: 1. Kingdom Animalia: Radiata, Lophotrochozoa, Deuterostomia. pp. 431-554. [details]

additional source McEachran, J. D. (2009). Fishes (Vertebrata: Pisces) of the Gulf of Mexico, Pp. 1223–1316 in: Felder, D.L. and D.K. Camp (eds.), Gulf of Mexico–Origins, Waters, and Biota. Biodiversity. Texas A&M Press, College Station, Texas. [details]

additional source Liu J.Y. [Ruiyu] (ed.). (2008). Checklist of marine biota of China seas. China Science Press. 1267 pp. [details]

additional source Dyntaxa. (2013). Swedish Taxonomic Database. Accessed at www.dyntaxa.se [15-01-2013]., available online at <http://www.dyntaxa.se> [details]

context source (Deepsea) Intergovernmental Oceanographic Commission (IOC) of UNESCO. The Ocean Biogeographic Information System (OBIS), available online at <http://www.iobis.org/> [details]

additional source Froese, R. & D. Pauly (Editors). (2018). FishBase. World Wide Web electronic publication. , available online at <http://www.fishbase.org> [details]

additional source McEachran, J. D. (2009). Fishes (Vertebrata: Pisces) of the Gulf of Mexico, Pp. 1223–1316 in: Felder, D.L. and D.K. Camp (eds.), Gulf of Mexico–Origins, Waters, and Biota. Biodiversity. Texas A&M Press, College Station, Texas. [details]

additional source Liu, J.Y. [Ruiyu] (ed.). (2008). Checklist of marine biota of China seas. China Science Press. 1267 pp. [details]

additional source King, C.M.; Roberts, C.D.; Bell, B.D.; Fordyce, R.E.; Nicoll, R.S.; Worthy, T.H.; Paulin, C.D.; Hitchmough, R.A.; Keyes, I.W.; Baker, A.N.; Stewart, A.L.; Hiller, N.; McDowall, R.M.; Holdaway,

R.N.; McPhee, R.P.; Schwarzhans, W.W.; Tennyson, A.J.D.; Rust, S.; Macadie, I. (2009). Phylum Chordata: lancelets, fishes, amphibians, reptiles, birds, mammals. in: Gordon, D.P. (Ed.) (2009). New Zealand inventory of biodiversity: 1. Kingdom Animalia: Radiata, Lophotrochozoa, Deuterostomia. pp. 431-554. [\[details\]](#)

context source (Bermuda) Mowbray, L. L. (1922). Habit note on snipe eel. Copeia, 108: 49 [\[details\]](#)

original description Richardson, J. (1848). Fishes. In: A. Adams (ed.). The zoology of the voyage of H. M. S. Samarang; under the command of Captain Sir Edward Belcher, during the years 1843-1846. Reeve & Benham, London. Pp. 1-28, Pls. 1-10. [\[details\]](#)

ecology source Looby, A.; Erbe, C.; Bravo, S.; Cox, K.; Davies, H.L.; Di Iorio, L.; Jézéque, Y.; Juanes, F.; Martin, C.W.; Mooney, T.A.; Radford, C.; Reynolds, L.K.; Rice, A.N.; Riera, A.; Rountree, R.; Sprie, B.; Stanley, J.; Vela, S.; Parsons, M.J.G. Underwater Soniferous Behavior Trait Provided in the World Register of Marine Species. (In preparation). [\[details\]](#)

Última atualização: 26 Out. 2018