

Ariosoma balearicum (Delaroche, 1809)

AphiaID: 126283

BANDTOOTH CONGER

Biota (Superdominio) > Animalia (Reino) > Chordata (Filo) > Vertebrata (Subfilo) > Gnathostomata (Infrafilo) > Osteichthyes (Parvfilo) > Actinopterygii (Gigaclasses) > Actinopteri (Superclasse) > Teleostei (Classe) > Anguilliformes (Ordem) > Congridae (Familia) > Bathymyrinae (Subfamilia) > Ariosoma (Genero)



whodden - iNaturalist.org



Description

Max length : 35.0 cm; common length : 25.0 cm;

Habitat and ecology

Marine; reef-associated; oceanodromous; depth range 1 – 732 m.

Synonyms

Ophisoma impressus (Poey, 1860)

References

additional source Froese, R. & D. Pauly (Editors). (2018). FishBase. World Wide Web electronic publication. , available online at <http://www.fishbase.org> [details]

basis of record van der Land, J.; Costello, M.J.; Zavodnik, D.; Santos, R.S.; Porteiro, F.M.; Bailly, N.; Eschmeyer, W.N.; Froese, R. (2001). Pisces, in: Costello, M.J. et al. (Ed.) (2001). European register of marine species: a check-list of the marine species in Europe and a bibliography of guides to their identification. Collection Patrimoines Naturels, 50: pp. 357-374 [details]

additional source Gulf of Maine Biogeographic Information System (GMBIS) Electronic Atlas. 2002. November, 2002. [details]

additional source Welshman, D., S. Kohler, J. Black and L. Van Guelpen. 2003. An atlas of distributions of Canadian Atlantic fishes. , available online at <http://epe.lac-bac.gc.ca/100/205/301/ic/cdc/FishAtlas/default.htm> [details]

additional source McEachran, J. D. (2009). Fishes (Vertebrata: Pisces) of the Gulf of Mexico, Pp. 1223–1316 in: Felder, D.L. and D.K. Camp (eds.), Gulf of Mexico–Origins, Waters, and Biota. Biodiversity. Texas A&M Press, College Station, Texas. [details]

context source (Deepsea) Intergovernmental Oceanographic Commission (IOC) of UNESCO. The Ocean Biogeographic Information System (OBIS), available online at <http://www.iobis.org/> [details]

additional source Froese, R. & D. Pauly (Editors). (2018). FishBase. World Wide Web electronic publication. , available online at <http://www.fishbase.org> [details]

additional source McEachran, J. D. (2009). Fishes (Vertebrata: Pisces) of the Gulf of Mexico, Pp. 1223–1316 in: Felder, D.L. and D.K. Camp (eds.), Gulf of Mexico–Origins, Waters, and Biota. Biodiversity. Texas A&M Press, College Station, Texas. [details]

additional source Welshman, D.; Kohler, S; Black, J.; and L. Van Guelpen. (2003). An atlas of distributions of Canadian Atlantic fishes. , available online at <http://epe.lac-bac.gc.ca/100/205/301/ic/cdc/FishAtlas/default.htm> [details]

context source (Bermuda) Smith-Vaniz, W. F.; Collette, B. B.; Luckhurst, B. E (1999). Fishes of Bermuda: History, zoogeography, annotated checklist, and identification keys(American Society of Ichthyologists and Herpetologists – Special Publication No.4). ASIH, 424 pp. [\[details\]](#)

ecology source Looby, A.; Erbe, C.; Bravo, S.; Cox, K.; Davies, H.L.; Di Iorio, L.; Jézéque, Y.; Juanes, F.; Martin, C.W.; Mooney, T.A.; Radford, C.; Reynolds, L.K.; Rice, A.N.; Riera, A.; Rountree, R.; Sprie, B.; Stanley, J.; Vela, S.; Parsons, M.J.G. Underwater Soniferous Behavior Trait Provided in the World Register of Marine Species. (In preparation). [\[details\]](#)

Last update: 26 Oct. 2018