Evermannella melanoderma Parr, 1928

AphiaID: 272065

.

Biota (Superdominio) > Animalia (Reino) > Chordata (Filo) > Vertebrata (Subfilo) > Gnathostomata (Infrafilo) > Osteichthyes (Parvfilo) > Actinopterygii (Gigaclasse) > Actinopteri (Superclasse) > Teleostei (Classe) > Aulopiformes (Ordem) > Evermannellidae (Familia) > Evermannella (Genero)

Sinónimos

Evermannella indica melanoderma Parr, 1928

Referências

additional source Froese, R. & D. Pauly (Editors). (2018). FishBase. World Wide Web electronic publication. , available online at http://www.fishbase.org [details]

context source (Bermuda) Beebe, W. (1933). Preliminary account of deep sea dives in the bathysphere with especial reference to one of 2200 feet. Proceedings of the National Academy of Sciences U.S.A., 19(1): 178-188 [details]

original description Parr, A. E. (1928). Deepsea fishes of the order Iniomi from the waters around the Bahama and Bermuda islands. With annotated keys to the Sudididae, Myctophidae, Scopelarchidae, Evermannellidae, Omosudidae, Cetomimidae and Rondeletidae of the world. (Scientific results of the third oceanographic expedition of the “Pawnee” 1927.). Bulletin of the Bingham Oceanographic Collection Yale University. v. 3 (art. 3): 1-193. [details]

ecology source Looby, A.; Erbe, C.; Bravo, S.; Cox, K.; Davies, H.L.; Di Iorio, L.; Jézéque, Y.; Juanes, F.; Martin, C.W.; Mooney, T.A.; Radford, C.; Reynolds, L.K.; Rice, A.N.; Riera, A.; Rountree, R.; Sprie, B.; Stanley, J.; Vela, S.; Parsons, M.J.G. Underwater Soniferous Behavior Trait Provided in the World Register of Marine Species. (In preparation). [details]

Última atualização: 27 Out. 2018