Dodecaceria concharum Örsted, 1843

AphiaID: 129967

.

Biota (Superdominio) > Animalia (Reino) > Annelida (Filo) > Polychaeta (Classe) > Sedentaria (Subclasse) > Canalipalpata (Infraclasse) > Terebellida (Ordem) > Cirratuliformia (Subordem) > Cirratulidae (Familia) > Dodecaceria (Genero)



Nygren, Arne

Sinónimos

Dodecaceria caulleryi Dehorne, 1933
Heterocirrus gravieri McIntosh, 1911

Nereis sextentaculata Delle Chiaje, 1828
Terebella ostreae Dalyell, 1853
Zeppelina mediopigmentata Gillandt, 1979

Referências

additional source Fauchald, K. (1977). The polychaete worms, definitions and keys to the orders, families and genera. Natural History Museum of Los Angeles County: Los Angeles, CA (USA), Science Series. 28:1-188., available online at http://www.vliz.be/imisdocs/publications/123110.pdf [details]

additional source Integrated Taxonomic Information System (ITIS). , available online at http://www.itis.gov [details]

additional source Bellan, Gerard. (2001). Polychaeta, in: Costello, M.J. et al. (Ed.) (2001). European register of marine species: a check-list of the marine species in Europe and a bibliography of guides to their identification. Collection Patrimoines Naturels. 50: pp. 214-231. [details]

additional source Brunel, P.; Bosse, L.; Lamarche, G. (1998). Catalogue of the marine invertebrates of the estuary and Gulf of St. Lawrence. Canadian Special Publication of Fisheries and Aquatic Sciences, 126. 405 p. [details]

additional source Pollock, L.W. (1998). A practical guide to the marine animals of northeastern North America. Rutgers University Press. New Brunswick, New Jersey & London. 367 pp., available online at http://books.google.com/books?id=i1AmT31cuR4C [details]

additional source Muller, Y. (2004). Faune et flore du littoral du Nord, du Pas-de-Calais et de la Belgique: inventaire. [Coastal fauna and flora of the Nord, Pas-de-Calais and Belgium: inventory]. Commission Régionale de Biologie Région Nord Pas-de-Calais: France. 307 pp., available online at http://www.vliz.be/imisdocs/publications/145561.pdf [details]

redescription Blake, J.A. 1996. Family Cirratulidae Ryckholdt, 1851. Including a revision of the genera and species from the eastern North Pacific. pages 263-384. IN: Blake, James A.; Hilbig, Brigitte; and Scott, Paul H. Taxonomic Atlas of the Benthic Fauna of the Santa Maria Basin and Western Santa Barbara Channel. 6 – The Annelida Part 3. Polychaeta: Orbiniidae to Cossuridae. Santa Barbara Museum of Natural History. Santa Barbara [details]

additional source Fauvel, P. (1927). Polychètes sédentaires. Addenda aux errantes, Arachiannélides, Myzostomaires. Faune de France Volume 16. Paul Lechevalier. Paris. 1-494., available online at http://www.faunedefrance.org/bibliotheque/docs/P.FAUVEL(FdeFr16)Polychetes-sendentaires.pdf [details]

additional source Hartman, Olga. (1959). Catalogue of the Polychaetous Annelids of the World. Parts 1 and 2. Allan Hancock Foundation Occasional Paper. 23: 1-628. [details]

additional source McIntosh, William Carmichel. (1915). Polychaeta, Opheliidae to Ammocharidae. A Monograph of the British Marine Annelids. The Ray Society, London, 3 (1): i-viii, 1-368 (text)., available

online at https://biodiversitylibrary.org/page/38532650 [details]

original description Ørsted, A. S. (1843). Annulatorum danicorum conspectus. Auctore A.S. Örsted. Fasc. I. Maricolæ. (Quæstio ab universitate Hafniensi ad solvendum proposita et proemio ornata). , available online at https://doi.org/10.5962/bhl.title.11849 [details]

additional source Gibson, Peter H. and Heppell, David 1995. Case 2899: Dodecaceria concharum Örsted, 1843 and Heterocirrus fimbriatus Verrill, 1879 (currently D. fimbriata) (Annelida, Polychaeta): proposed conservation of the specific names by designation of a neotype for D. concharum. Bulletin of Zoological Nomenclature 52(1): 27-33. [details]

status source International Commission on Zoological Nomenclature. (2003). Opinion 2019 (Case 2899) Dodecaceria concharum Örsted, 1843 and Heterocirrus fimbriatus Verrill, 1879 (currently D. fimbriata)(Annelida, Polychaeta): Conservation of usage of the names by the designation of a neotype for D. concharum not approved. Bulletin of Zoological Nomenclature. 60(1): 66-67. [details]

additional source Liu J.Y. [Ruiyu] (ed.). (2008). Checklist of marine biota of China seas. China Science Press. 1267 pp. [details]

additional source Trott, T. J. (2004). Cobscook Bay inventory: a historical checklist of marine invertebrates spanning 162 years. Northeastern Naturalist. 11, 261-324., available online at http://www.gulfofmaine.org/kb/files/9793/TROTT-Cobscook%20List.pdf [details]

additional source Gibson, Peter. (2015). Augmented descriptions and nomenclature of the cirratulid polychaetes Dodecaceria fimbriata and D. concharum. Journal of the Marine Biological Association of the United Kingdom. 95 (4):697-702 [June 2015]., available online at http://dx.doi.org/10.1017/S0025315414001854 [details]

context source (Deepsea) Intergovernmental Oceanographic Commission (IOC) of UNESCO. The Ocean Biogeographic Information System (OBIS), available online at http://www.iobis.org/ [details]

context source (Schelde) Maris, T.; Beauchard, O.; Van Damme, S.; Van den Bergh, E.; Wijnhoven, S.; Meire, P. (2013). Referentiematrices en Ecotoopoppervlaktes Annex bij de Evaluatiemethodiek Schelde-estuarium Studie naar “Ecotoopoppervlaktes en intactness index”. Monitor Taskforce Publication Series, 2013-01. NIOZ: Yerseke. 35 pp. [details]

Última atualização: 28 Out. 2018