

# *Dodecaceria concharum* Örsted, 1843

AphialD: 129967

Biota (Superdominio) > Animalia (Reino) > Annelida (Filo) > Polychaeta (Classe) > Sedentaria (Subclasse) > Canalipalpata (Infraclasse) > Terebellida (Ordem) > Cirratuliformia (Subordem) > Cirratulidae (Família) > Dodecaceria (Genero)



Nygren, Arne

## Synonyms

*Dodecaceria caulleryi* Dehorne, 1933  
*Heterocirrus gravieri* McIntosh, 1911

*Nereis sextentaculata* Delle Chiaje, 1828  
*Terebella ostreae* Dalyell, 1853  
*Zeppelina mediopigmentata* Gillandt, 1979

## References

---

additional source Fauchald, K. (1977). The polychaete worms, definitions and keys to the orders, families and genera. Natural History Museum of Los Angeles County: Los Angeles, CA (USA), Science Series. 28:1-188., available online at <http://www.vliz.be/imisdocs/publications/123110.pdf> [details]

additional source Integrated Taxonomic Information System (ITIS). , available online at <http://www.itis.gov> [details]

additional source Bellan, Gerard. (2001). Polychaeta, in: Costello, M.J. et al. (Ed.) (2001). European register of marine species: a check-list of the marine species in Europe and a bibliography of guides to their identification. Collection Patrimoines Naturels. 50: pp. 214-231. [\[details\]](#)

additional source Brunel, P.; Bosse, L.; Lamarche, G. (1998). Catalogue of the marine invertebrates of the estuary and Gulf of St. Lawrence. Canadian Special Publication of Fisheries and Aquatic Sciences, 126. 405 p. [\[details\]](#)

additional source Pollock, L.W. (1998). A practical guide to the marine animals of northeastern North America. Rutgers University Press. New Brunswick, New Jersey & London. 367 pp., available online at <http://books.google.com/books?id=i1AmT31cuR4C> [details]

additional source Muller, Y. (2004). Faune et flore du littoral du Nord, du Pas-de-Calais et de la Belgique: inventaire. [Coastal fauna and flora of the Nord, Pas-de-Calais and Belgium: inventory]. Commission Régionale de Biologie Région Nord Pas-de-Calais: France. 307 pp., available online at <http://www.vliz.be/imisdocs/publications/145561.pdf> [details]

redescription Blake, J.A. 1996. Family Cirratulidae Ryckholdt, 1851. Including a revision of the genera and species from the eastern North Pacific. pages 263-384. IN: Blake, James A.; Hilbig, Brigitte; and Scott, Paul H. Taxonomic Atlas of the Benthic Fauna of the Santa Maria Basin and Western Santa Barbara Channel. 6 - The Annelida Part 3. Polychaeta: Orbiniidae to Cossuridae. Santa Barbara Museum of Natural History. Santa Barbara [\[details\]](#)

additional source Fauvel, P. (1927). Polychètes sédentaires. Addenda aux errantes, Arachiannélides, Myzostomaires. Faune de France Volume 16. Paul Lechevalier. Paris. 1-494., available online at [http://www.faunedefrance.org/bibliotheque/docs/P.FAUVEL\(FdeFr16\)Polychetes-sedentaires.pdf](http://www.faunedefrance.org/bibliotheque/docs/P.FAUVEL(FdeFr16)Polychetes-sedentaires.pdf) [details]

additional source Hartman, Olga. (1959). Catalogue of the Polychaetous Annelids of the World. Parts 1 and 2. Allan Hancock Foundation Occasional Paper. 23: 1-628. [\[details\]](#)

additional source McIntosh, William Carmichel. (1915). Polychaeta, Opheliidae to Ammocharidae. A Monograph of the British Marine Annelids. The Ray Society, London, 3 (1): i-viii, 1-368 (text),, available

online at <https://biodiversitylibrary.org/page/38532650> [details]

original description Ørsted, A. S. (1843). Annulatorum danicorum conspectus. Auctore A.S. Ørsted. Fasc. I. Maricolæ. (Quæstio ab universitate Hafniensi ad solvendum proposita et proemio ornata). , available online at <https://doi.org/10.5962/bhl.title.11849> [details]

additional source Gibson, Peter H. and Heppell, David 1995. Case 2899: Dodecaceria concharum Ørsted, 1843 and Heterocirrus fimbriatus Verrill, 1879 (currently *D. fimbriata*) (Annelida, Polychaeta): proposed conservation of the specific names by designation of a neotype for *D. concharum*. Bulletin of Zoological Nomenclature 52(1): 27-33. [\[details\]](#)

status source International Commission on Zoological Nomenclature. (2003). Opinion 2019 (Case 2899) *Dodecaceria concharum* Ørsted, 1843 and *Heterocirrus fimbriatus* Verrill, 1879 (currently *D. fimbriata*) (Annelida, Polychaeta): Conservation of usage of the names by the designation of a neotype for *D. concharum* not approved. Bulletin of Zoological Nomenclature. 60(1): 66-67. [\[details\]](#)

additional source Liu J.Y. [Ruiyu] (ed.). (2008). Checklist of marine biota of China seas. China Science Press. 1267 pp. [\[details\]](#)

additional source Trott, T. J. (2004). Cobscook Bay inventory: a historical checklist of marine invertebrates spanning 162 years. Northeastern Naturalist. 11, 261-324., available online at <http://www.gulfofmaine.org/kb/files/9793/TROTT-Cobscook%20List.pdf> [details]

additional source Gibson, Peter. (2015). Augmented descriptions and nomenclature of the cirratulid polychaetes *Dodecaceria fimbriata* and *D. concharum*. Journal of the Marine Biological Association of the United Kingdom. 95 (4):697-702 [June 2015]., available online at <http://dx.doi.org/10.1017/S0025315414001854> [details]

context source (Deepsea) Intergovernmental Oceanographic Commission (IOC) of UNESCO. The Ocean Biogeographic Information System (OBIS), available online at <http://www.iobis.org/> [details]

context source (Schelde) Maris, T.; Beauchard, O.; Van Damme, S.; Van den Bergh, E.; Wijnhoven, S.; Meire, P. (2013). Referentiematrices en Ecotoopoppervlaktes Annex bij de Evaluatiemethodiek Schelde-estuarium Studie naar “Ecotoopoppervlaktes en intactness index”. Monitor Taskforce Publication Series, 2013-01. NIOZ: Yerseke. 35 pp. [\[details\]](#)

Last update: 28 Oct. 2018